			WATER	R WELL RECORD	Form WWC-5	KSA 82				
	ON OF WAT		Fraction			tion Number	1		Range Number	$\lceil \rceil$
County: G	reeley	*	C 1/6	1/2 1/4	1/4	22	т 16	S	R 42 E	긔
			-	dress of well if locat	-					
				$3\frac{1}{2}$ south of		s				-
		NER: Verdel			Drilling		m	<b>.</b>	D1 1-1/ M/	
RR#, St. Address, Box # : Tribune, Ks. 67879 Box 661 City, State, ZIP Code : Colby, K					L (770)	Board of Agriculture, Division of Water Resources  Application Number: 910540				
		CATION MUTUL								$\dashv$
AN "X"	IN SECTION									
	- N		• • •						i	
<b>†</b>	-									
<u> </u>  -	- NW	NE							mping gpi mping gpi	
	!							•	. to	
* w	<del></del>			O BE USED AS:			8 Air conditionin			ι.
-	_ i _ 1	'ا ا أ ر	1 Domestic	3 Feedlot				_	Other (Specify below)	
-	- sw	SE	2 Irrigation	4 Industrial						
1	1 1	l . l . l . v	•		-	-			, mo/day/yr sample was su	
1			nitted	,aotoriological campio			ater Well Disinfect		No X	~
5 TYPE C	OF BLANK C	ASING USED:		5 Wrought iron	8 Concre				d .x Clamped	
ب 1 Ste		3 RMP (SR)	l	6 Asbestos-Cement	9 Other	(specify belo			 led	1
2 PV	C	4 ABS		7 Fiberglass		· · · · · · · · · · · ·		Threa	aded	
Blank casir	ng diameter	<b>4.</b> 5 ir	n. to 205	ft., Dia	in. to		ft., Dia		in. to	it.
Casing hei	ght above la	nd surface	18	in., weight 2.	<b>.</b> 38	Ibs.	/ft. Wall thickness	or gauge N	o <b>.</b> 248	
TYPE OF	SCREEN OF	R PERFORATION	MATERIAL:		7_PV	<u>c</u> _	10 As	bestos-ceme	ent	
1 Ste	el	3 Stainless	steel	5 Fiberglass	8 RM	P (SR)	11 Ot	her (specify)		
2 Bra	ass	4 Galvanized	d steel	6 Concrete tile	9 AB	S	12 No	one used (op	en hole)	
SCREEN (	OR PERFOR	NATION OPENING	S ARE:		zed wrapped		8 Saw cut		11 None (open hole)	
1 Co	ntinuous slo			6 Wire	wrapped		9 Drilled holes			
	uvered shutt		punched	7 Toro						
SCREEN-F	PERFORATE	D INTERVALS:			245	ft., Fro	om	ft. 1	t <b>o</b>	
				<b>.</b>						ft.
_									<b>(0.</b>	ft. ft.
G	BRAVEL PAG	CK INTERVALS:	From	ft. to .		ft., Fro	om	ft. 1	<b>10.</b>	ft. ft. ft.
_			From	ft. to		ft., Fro ft., Fro	om	ft. 1	io	ft. ft. ft. ft.
6 GROUT	MATERIAL	: 1 Neat ce	From	ft. to ft. to 2 Cement grout	3 Bento	ft., Fro ft., Fro nite 4	om	ft. 1	io	ft. ft. ft. ft.
6 GROUT	MATERIAL	: 1 Neat ce	From From ment t. to20	ft. to ft. to 2 Cement grout	3 Bento	ft., Frontie 4	om	ft. 1	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the	MATERIAL vals: Fror e nearest so	: 1 Neat ce	From From ment t to20 ontamination:	ft. to ft. to ft. to 2 Cement grout ft., From	3 Bento	ft., Frontie 4  to10 Lives	Officer Officer of the following stock pens	ft. 1	toft. to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the	MATERIAL vals: Fror e nearest so ptic tank	: 1 Neat ce n0ft urce of possible co 4 Lateral	From	ft. to ft.	3 <u>Bento</u> ft.	ft., Fro ft., Fro nite 4 to 10 Lives	Other ft., From . stock pens storage	ft. 1 ft. 1	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is th 1 Se 2 Se	MATERIAL vals: Fror e nearest so ptic tank wer lines	: 1 Neat ce n0ft urce of possible co 4 Lateral 5 Cess p	From From From Internation:	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft. ft., From 7 Pit privy 8 Sewage la	3 <u>Bento</u> ft.	ft., Fro ft., Fro nite 4 to 10 Lives 11 Fuel 12 Ferti	Other ft., From . stock pens storage	14 A	toft. to	ft. ft. ft. ft.
6 GROUT Grout Inter What is th 1 Se 2 Se	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew	: 1 Neat ce n0ft urce of possible co 4 Lateral	From From The From Th	ft. to ft.	3 <u>Bento</u> ft.	ft., Fro ft., Fro nite 4 to	Other	14 A 15 C	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew	: 1 Neat ce n0ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa	From From The From Th	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From	3 <u>Bento</u> ft.	ft., Fro ft., Fro nite 4 to	Other	14 A 15 C	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well?	: 1 Neat ce n0ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa	From From Promett It. to20 Contamination:	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well?	: 1 Neat ce n0ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa	From From Promett It. to20 Contamination:	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft.
6 GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4	: 1 Neat ce n0ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa	From From ment to 20 contamination: lines cool ge pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction for	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4	: 1 Neat ce n0ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepac NE  Surface Clay	From From From From From From From From	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 4	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63	: 1 Neat ce n0ft urce of possible or 4 Lateral 5 Cess p er lines 6 Seepag NE  Surface Clay Med. sand	From From From From From From From From	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
6 GROUT Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 40 63	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120	: 1 Neat ce n0ft urce of possible of 4 Lateral 5 Cess p er lines 6 Seepag NE  Surface Clay Med. sand Clay & fir	From From From From From From From From	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 40 63 120	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130	: 1 Neat ce n0ft urce of possible of 4 Lateral 5 Cess per lines 6 Seepag NE  Surface Clay Med. sand Clay & fir Med. sand	From From From From From From From From	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 4 40 63 120 130	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130	: 1 Neat ce n0ft urce of possible of 4 Lateral 5 Cess per lines 6 Seepag NE  Surface Clay Med. sand Clay & fir Med. sand Clay Clay	From From From From From From From From	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 4 40 63 120 130	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130 160 220	1 Neat ce n0ft urce of possible co 4 Lateral 5 Cess per lines 6 Seepa NE  Surface Clay Med. sand Clay & fir Med. sand Clay Med. sand Clay Med. loose	From From Iment It to 20 Incontamination: Ilines Incool Ige pit  LITHOLOGIC Income sand state Income sand state Income sand	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Was Direction for FROM 4 40 63 120 130 160 220	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130 160 220 230	: 1 Neat ce n0ft urce of possible co 4 Lateral 5 Cess per lines 6 Seepag NE  Surface Clay Med. sand Clay & fir Med. sand Clay Med. loose Clay	From From ment to 20 contamination: Ilines cool ge pit  LITHOLOGIC  e sand str	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
GROUT Inter What is the 1 Se 2 Se 3 Wa Direction frem 40 63 120 130 160 220 230	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130 160 220 230	: 1 Neat ce n0ft urce of possible of 4 Lateral 5 Cess per lines 6 Seepag NE  Surface Clay Med. sand Clay & fir Med. sand Clay Med. loose Clay Med. sand	From From ment to 20 contamination: Ilines cool ge pit  LITHOLOGIC  e sand str	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
GROUT Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 40 63 120 130 160 220 230	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130 160 220 230	: 1 Neat ce n0ft urce of possible of 4 Lateral 5 Cess per lines 6 Seepag NE  Surface Clay Med. sand Clay & fir Med. sand Clay Med. loose Clay Med. sand	From From ment to 20 contamination: Ilines cool ge pit  LITHOLOGIC  e sand str	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
GROUT Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 40 63 120 130 160 220 230	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130 160 220 230	: 1 Neat ce n0ft urce of possible of 4 Lateral 5 Cess per lines 6 Seepag NE  Surface Clay Med. sand Clay & fir Med. sand Clay Med. loose Clay Med. sand	From From ment to 20 contamination: Ilines cool ge pit  LITHOLOGIC  e sand str	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
GROUT Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 40 63 120 130 160 220 230	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130 160 220 230	: 1 Neat ce n0ft urce of possible of 4 Lateral 5 Cess per lines 6 Seepag NE  Surface Clay Med. sand Clay & fir Med. sand Clay Med. loose Clay Med. sand	From From ment to 20 contamination: Ilines cool ge pit  LITHOLOGIC  e sand str	ft. to ft.	3 Bento	ft., Fronte 4 to	Other	14 A 15_C	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 40 63 120 130 160 220 230 240	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130 160 220 230 240 245	1 Neat ce n0fi urce of possible co 4 Lateral 5 Cess per lines 6 Seepac NE  Surface Clay Med. sand Clay & fir Med. sand Clay Med. loose Clay Med. loose Clay Med. sand Clay Med. loose Clay Med. sand Clay Med. loose Clay Med. sand	From From Iment It to 20 Incontamination: Ilines Incool Ige pit  LITHOLOGIC Incompared stand Incompar	7 Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	ft., Fronte, F	Other	14 A 15 C 16 C LUGGING I	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Was Direction for FROM 40 63 120 130 160 220 230 240	MATERIAL EVals: From e nearest so ptic tank ever lines atertight sew rom well?  TO 4 40 63 120 130 160 220 230 240 245	1 Neat ce n0ft urce of possible co 4 Lateral 5 Cess per lines 6 Seepac NE  Surface Clay Med. sand Clay & fir Med. sand Clay Med. loose Clay Med. loose Clay Med. sand Ochre & sh	From From Iment It to 20 Incontamination: Ilines Incool Ige pit  LITHOLOGIC Incompared and stand Incompared	ft. to  ft. to  ft. to  Comment grout  ft., From  Pit privy  Sewage la  Feedyard  LOG  COS  CON: This water well	3 Bento ft.  goon  FROM  was (1) constru	ft., Fronte, F	Other	14 A 15 C 16 C LUGGING I	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction for FROM 40 63 120 130 160 220 230 240  7 CONTE	MATERIAL rvals: From e nearest so ptic tank wer lines atertight sew rom well?  TO  4  40  63  120  130  160  220  230  240  245  RACTOR'S (on (mo/day/	: 1 Neat ce n. 0	From From Iment It to 20 Incontamination: Ilines Incool Ige pit  LITHOLOGIC Incompared stand Incompar	ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage la 9 Feedyard  LOG  reaks	3 Bento ft.  goon  FROM  was (1) constru	10 Lives 11 Fuel 12 Ferti 13 Inse How ma TO	Other	14 A 15 C 16 C LUGGING I	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 440 63 120 130 160 220 230 240	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130 160 220 230 245  RACTOR'S ( on (mo/day/	1 Neat ce n0fi urce of possible co 4 Lateral 5 Cess per lines 6 Seepag NE  Surface Clay Med. sand Clay & fir Mod. sand Clay Med. loose Clay Med. loose Clay Med. sand Ochre & sh  DR LANDOWNER year) 12-2- s License No	From From Iment It to 20 Incontamination: Ilines Incool Ige pit  LITHOLOGIC  S cand  S certification  1	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard LOG  reaks  ON: This water well This Water	3 Bento ft.  goon  FROM  was (1) constru	tt., Fronte 4 to	Other	plugged underst of my kr	to	ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction from FROM 440 63 120 130 160 220 230 240 To CONTE completed Water Wel under the	MATERIAL rvals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 4 40 63 120 130 160 220 230 240 245  RACTOR'S C on (mo/day/ business na	: 1 Neat ce n0ft urce of possible of 4 Lateral 5 Cess per lines 6 Seepar NE  Surface Clay Med. sand Clay & fir Mod. sand Clay Med. loose Clay Med. loose Clay Med. sand Ochre & sh  DR LANDOWNER  year) 12-2- s License No me of WO	From From Iment It to 20 Incontamination: Ilines Incol Ige pit  LITHOLOGIC  S CERTIFICATION INCOLOGIC  S S CERTIFICATION INCOLOGIC	tt. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard LOG  CON: This water well This Water C & WELL	3 Bento ft.  goon  FROM  was (1) constru	tt., Fronte, F	Other	plugged underst of my kr	to	ft. ft. ft. ft.