GSI Job	No. 05715	58						ID N			PMW-	<b>16S</b>
1 II OCATI	ION OF WATE	R WELL:	Fraction	ER WELL RECORD		5 KSA Section Nu		12 ID No		Par	nge Numbe	-
	Mc		<b>I</b>	NW ½ N	w ¼ (`	6			S	R	•	E
Distance ar	nd direction fro	m nearest tov		idress of well if locate				1 10		<u> </u>		15
• 2	2577 "Q" A	venue (We	st of the Herin	gton Municipal A	irport)	•				4.		
	WELL OWNE			owder Compar								
_	ddress, Box#		2577 "Q" A	venue	-			Board of Agric	ulture. Divi	ision of V	/ater Resou	urces
-	ZIP Code		Herington,	KS 67449				Application No				
LOCATI	E WELL'S LOC	ATON WITH										
JAN "X"	IN SECTION B	OX:	DEPTH OF	COMPLETED WELL		<b>16</b> ft.	ELEVA	TION:	149	0.33 10	OC	
1	x		Depth(s) Ground	water Encountered	1		ft.	2	ft.	3		ft.
-	NW	- NE		WATER LEVEL								
<u>u</u>			Pum	p test data: Well wa	ter was		ft.	after	hours p	oumping		gpm
<sub>€</sub> w -	<del>-   -   -</del>	- <del> </del>   E	Lot. Hold	gpm: Well wa	ter was		ft.	after	hours p	oumping		gpm
	i	i	Bore Hole Diam	eter <b>8</b> in. to TO BE USED AS: 5 c 3 Feed lot 6		17.5	f	t. and	ir	1. to		ft.
	sw	- SE	WELL WATER	TO BE USED AS: 5	Public water	er supply		8 Air conditio	ning 1	1 Injection	on well (Specify be	
↓ L		1	2 Imination	4 Industrial 7	Cirileid wa	cer suppry	4: . \	40 Maritaria	' '	2 Ou lei	(Specify be	10W)
	S	,	1	4 Industrial 7								
			/	/bacteriological sampl								was
5 TVPE O	F BLANK CAS	ING HEED	submitted	5 \A/======				er Well Disinfecte				
	eel			5 Wrought Iron				CASING JOI			Clamped	
	/C	_	(SK)	6 Asbestos-Ceme							Florida	$\overline{}$
-			•	7 Fiberglass					Thre	aded	Flusn	
Blank casir	ng diameter	<u>Z</u>	in. to 5	ft., Dia		in. to		ft., Dia		in. to		ft.
				in., weight	0.703	!	lbs./ft. V	<u>Vall thic</u> kness or	gauge No.		Sch. 40	
			N MATERIAL:		L	7 PVC		10 Asbe	estos-ceme	ent	*	
1 Ste				5 Fiberglass		8 RMP	(SR)	11 Othe	er (specify)			
2 Bra	ass OR PERFORAT	4 Gaiva ION OPENIN		6 Concrete tile 5 Ga	uzed wrann	9 ABS		12 None 8 Saw cut				اداد
	ontinuous slot		Mill slot		re wrapped			9 Drilled holes		11 140	ie (open no	,,,
			Key punched		ch cut			10 Other (spec				
	PERFORATED			6 ft. to		;	ft Fr	nm	ft f			ft
				ft. to								
GR	RAVEL PACK II	NTERVALS:	From	<b>4</b> ft. to	16		tt Fr	om:	ft f	to		ft
			From	ft. to			ft Fr	om	ft :			
6 GROUT	MATERIAL:	1 Neat		Cement grout				Other				
Grout Inten	vale From	0.5	4 to 1	ft. From	13	e		4 F				
What is the	vais Florii	e of nossible	contamination:	riom		10. 10	Livonto	π. From ock pens	14 Ab	n. to	water well	"
	ptic tank	e or possible	4 Lateral lines	7 Pit pri	ivv		Fuel st	•		well/ Ga		
	ewer lines		5 Cess pool	•	ge lagoon			er storage			ify below)	
3 W	atertight sewer	lines	6 Seepage pit					cide storage		(0,00	,,	
Direction fr	om well?		. • .	•			many f	-				
FROM	TO	CODE		LOGIC LOG	FRC	M 7	го	PL	UGGING II	NTERVA	LS	
0	7		Ity Clay									
7	15.2	We	eathered Lime th limestone f	stone, sandy cla	У							
	15.2		mestone, high					· · · · · · · · · · · · · · · · · · ·		+		
15.2	16			stone Member)								
		Sh	ale, olive gra	with tan clay								
		alc	ong bedding p	lanes (Paddock								
16	17.5	Sh	nale Member)	<del></del>								
		ļ							,			
									·			
					.							
7 CONTR	ACTOR'S OR	LANDOWNE	R'S CERTIFICAT	ION: This water well	was (1) con	structed.	(2) recon	structed, or (3) p	lugged und	er my iur	isdiction and	d was
	on (mo/day/yr)			4-05				of the best of			,	
	Contractor's L			531				cord was comple				
	ousiness name			al Services, Inc.		(signatur		did yas comple				- <u>;                                    </u>
INSTF	RUCTIONS:. Ple	ease fill in blank	ks and circle the co	rect answers. Send thr	ee copies to l	Kansas De	partment	of Health and Env	rironment, B	ureau of	Nater, 1000	sw
Jackso	on St., Ste. 420,	Topeka, Kansa	as 66612-1367. Te	lephone: 913-296-5545	. Send one t	o WATER	WELL O	WNER and retain	one for you	records.		