WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | | | =111 | 1 | | |
|---|--------------------------------------|-----------------------------|------|--------------|--|---|
| 1. Location of well: | County Ellsworth | Fraction NW1/45W1/4 | 1/4 | Section | number 33 | Township number Range number R R P E/W |
| Distance and direction from nearest town or city: 3. Owner of v | | | | | l: | Don Wilkens |
| AE 1N of Holyroad Street coddress of well location if in city: | | | | | | 1/ 1 |
| City, st | | | | itate, zip | code: | M Lorraine Ks. |
| 4. Locate with "X" in section below: Sketch map: | | | | | | 6. Bore hole dio. 9 77 m. Completion date |
| Ŧ ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ | | | | | | 7 Coble tool X Rotary Driven Dug |
| | | | | | | Hollow rod Jetted Bored Reverse rotary |
| | | | | | | 8. Use: X Domestic Public supply Industry |
| | | | | | Irrigation Air conditioning Stock Lawn Oil field water Other | |
| SW SE I | | | | | 9. Casing: Material Height: Above or | |
| | | | | | Threaded Welded Surface 18 | |
| S I → → 1 Mile → → I | | | | | | Dia. 4 in. to 60 ft. depth Wall Thickness: inches or |
| 5. Type and color of material | | | | From | То | Dia in. to ft. depth gage No/4 |
| | | | | + | _ | 10. Screen: Manufacturer's name |
| Top Soil | | | | 0 | 2 | Type <u>DVC</u> Dia |
| Greenish Gray Clay | | | | 2 | 4 | Slot/ gauze 1/16 Length 15 Set between 45 ft. and 60 ft. |
| | | | | 1, | / | Gravel pack? X Size range of material 1/2 3/4 3/8 |
| Brown Clay | | | | 4 | 6 | |
| Brown Clay & White Rock | | | | 6 | 8 | 11. Static woter level: ma./day/yr36ft. below land surface Date 10-25-76 |
| Brown Clay | | | | 8 | 13 | 12. Burnales level below land surfaces. |
| | | | | 10 | 4 / | ft. after hrs. pumping g.p.m. |
| Brown, Wellow & Green Clay with Some Sand Rock | | | | 13 | 16 | ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m. |
| Greenish Gray & Yellow Clay | | | | 16 | 18 | 13. Water sample submitted: mo./day/yr. |
| Blue Clay | | | | 18 | 28 | <u>X Yes No Date102576</u> |
| | | | | | | 14. Well head completion: Pitless adapter Inches above grade |
| Blue & Yellow Clay some Sand Rock | | | | 28 | 30 | 15. Well grouted? |
| Blue Clay | | | | 30 | 38 | With: Neat cement Bentonite Concrete Depth: From ft. to ft. |
| Lt. Blue Sand Rock | | | | 38 | 42 | 16. Nearest source of possible contomination: |
| | | | | + | | fr. 80 Direction N Type septic tar |
| Blue Clay | | | | 42 | 43 | Well disinfected upon completion? Yes No |
| Dk. Brown Sand Rock | | | | 43 | 44 | 17. Pump: X Not installed Manufacturer's name |
| | Brown Sand Rock | | | 44 | 47 | Model number HP Volts |
| <u> </u> | | | | | | Length of drop pipe ft. capacityg.p.m. Type: |
| Lt. Blue Sa | and Rock | | | 47 | 54 | Submersible Turbine |
| Orangish Brown Sand Rock (Use a second sheet if needed) | | | | 54 | 56 | Jet Reciprocating Other Other |
| 18. Elevation: | 19. Remarks: | | | | | 20. Water well contractor's certification: |
| Blueish Gray Shale 56 | | | | | 82 | This well was drilled under my jurisdiction and this report |
| Fire Clay , 83 85 | | | | | is true to the best of my knowledge and belief. Rosencrantz—Bemis 134 | |
| | | | | | - | Business name License No. |
| Slope _X Upland | | | | | | Andia dada 11/2/ |
| Valley | | | | | | Signed Authorized representative Date |
| Forward the white, blu | ue and pink copies to the Department | t of Health and Environment | | | | Form WWC-5 |