			ATER WELL REC	CORD	Form WV	<u>VC-5 K</u>	SA 82a-1		No			<del></del>		
1 LOCATIO	ON OF WA	ATER WELL:	Fraction				Section	Number	Tow	nship Num	ber	Range N	Number	
County: E	Barton		NE 1/4						Т:	17	S	R 11w	E/W	
Distance ar	nd direction	n from nearest t	town or city stree				nin city?							
3/4	N, 2E	of Claflin	n, Ks.											
			Moran Jr.											_
			NE 120 Roa	ađ					Boar	rd of Agricu	ılture, C	Division of Wa	iter Resourc	es
City, State,			lin, KS. 67							ication Nur				
			4 DEPTH OF	COMPL	ETED WELL	97	•	ft FLFV	ATION: 1	unknown				_
_	N SECTIO		Depth(s) Groun	dwater	Encountered		.47	ft.	. 2	GLIZIOWII	ft. 3.		ft.	•
	N SECTION	TV DOX.	WELL'S STATIC	WATE	B I FVFI		t. below la	nd surfac	ce measure	d on mo/dav	//vr	1.0 /3.4./03.		
<b>A</b>	1	1	Pun	nn teet i	data: Wolly	ty water was		ft	after		hours o	oumping	ıan	m
	NW	NE	Est. Yield ]											
		NE	Bore Hole Diam	.z. · · · ·	gpiii. Weii v	to o		ft	and			in to	ft	•
W Me	1 .	E		TO BE	.B	5 Public v	/······		8 Air condit	tioning	11 lr	iection well		
- W			1 Domestic		eedlot							ther (Specify	below)	
	CIA	-	2 Irrigation	_	ndustrial									
	SW	SE	1											
<b>V</b>		i	Was a chemical/	bacterio	logical sampl	e submitted	to Departn							ıb-
<u> </u>	Ś		mitted											
5 TYPE O	F BLANK	CASING USED:			ught iron							ed Cla		
1 Steel		3 RMP (S	SR)		estos-Ceme		Other (spe	-				led		
2 PVC		4 ABS		7 Fibe	•							aded		
Blank casi	ng diamet	er <b>5</b>	in. to . 47		ft., Dia	<i></i>	in. to			Dia		in. to		.ft
Casing he	ight above	land surface	12	in., weig	ght 2	2.8		lbs	./ft. Wall thi	ckness or g	jauge N	lo Sch 4	40	
_	-		TION MATERIAL	.:			7 PVC			10 Asbest				
1 Steel	erglass	•	8 RMP (SR)											
					6 Concrete tile					12 None used (open hole)				
SCREEN	OR PERF	ORATION OPE	ENINGS ARE:		5 G	auzed wra	pped		8 Saw o			11 None (o	pen hole)	
1 Cont	inuous slo	t 3 M	/lill slot		6 W	iauzeu wra /ire wrappe orch cut	ed		9 Drilled					_
	ered shut		Key punched											
SCREEN-	PERFORA	ATED INTERVA	ALS: From	4.7	ft. to	o8 <b>7</b> .		. ft., Fron	m		ft. t	0		ft.
			From		ft. to			. ft., Fror	m		ft. t	0		ft.
1	GRAVEL I	PACK INTERVA	ALS: From	20	ft. to	8 <i>1</i>		. ft., Fron	m		π.τ	0		π. H
6 GROUT	MATERIA	AL: 1 Neat of												
Grout Inte	ervals: Fr	om	ft. to20		.ft., From .		ft. to.							
What is th	ne nearest	source of possi	ible contaminatio	n:				10 Livestock pens			14 Abandoned water well			
1 Septic tank 4 Lateral lines					7 Pit privy			11 Fuel storage			15 Oil well/Gas well			
2 Sewer lines 5 Cess pool					8 Sewage lagoon			12 Fertilizer storage			16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit					9 Feed	dyard						home		
Direction 1	from well?	Northeast	t					How ma	any feet? (	65				
FROM	ТО		LITHOLOGIC L	OG		FR	ОМ	ТО		PLUGO	SING I	NTERVALS		
0	2	ton 00:												
2	35	top so	1.1											
4	_	clay	1	7										
35	87	sand ro	ock with sh	lare :	streaks									
											····			
														_
		-												
									···					—
			-											
7 CONTRA	ACTOR'S	OR LANDOWN	ER'S CERTIFICA	TION: T	his water we	ell was (1)	constructe	d, (2) red	constructed,	, or (3) plug	gged un	der my jurisdi	iction and wa	15
completed	on (mo/da	y/year) 12	2/14/01				and	this reco	ord is true to	the best o	f my kn	owledge and	iction and wa belief. Kansa	as as
completed	on (mo/da	y/year) 12	ER'S CERTIFICA 2/14/01 186				and	this reco	ord is true to	the best o	f my kn	owledge and	iction and wa belief. Kansa	as as
completed	on (mo/da Contracto	y/year) 12 or's Licence No.	2/14/01	 . <i>.</i>	. This Wate	r Well Rec	ord was co	this reco ompleted by (s	ord is true to I on (mo/day signature)	o the best o	12/19	owledge and 9/01	belief. Kans	as 