

1 LOCATION OF WATER WELL: County: Barton Fraction SW 1/4 SW 1/4 NW 1/4 Section Number 2 Township Number T 17 S Range Number R 13 EW

Distance and direction from nearest town or city street address of well if located within city? 2m E & 2 m S of Susank, Kansas MW-3

2 WATER WELL OWNER: Conoco RR#, St. Address, Box #: Mid Continent Bldg, P. O. Box 1267 Board of Agriculture, Division of Water Resources City, State, ZIP Code: Ponca City, OK 74603 Application Number:

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram showing a 4-section grid with 'X' in the NW section] 4 DEPTH OF COMPLETED WELL: 15 ft. ELEVATION: ... WELL'S STATIC WATER LEVEL: 6 ft. below land surface ...

5 TYPE OF BLANK CASING USED: 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued Clamped Welded Threaded Blank casing diameter: 2 in. to 15 ft., Dia. Casing height above land surface: 36 in., weight lbs./ft. Wall thickness or gauge No. 40 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole) SCREEN-PERFORATED INTERVALS: From 15 ft. to 5 ft. GRAVEL PACK INTERVALS: From 17 ft. to 4 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) Direction from well? SW How many feet? 525

Table with 4 columns: FROM, TO, LITHOLOGIC LOG, PLUGGING INTERVALS. Row 1: 0 to ±4, Dk gray silty clay. Row 2: ±4 to ±7, Brown silty clay. Row 3: ±7 to ±17, Lt brown silty clay wet.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/23/92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 510 This Water Well Record was completed on (mo/day/yr) 2/11/93 under the business name of MIKON Corporation by (signature) David Kramer

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.