_										20	181		
121	ta		WAT	ER WELL RECORD	Form W	NC-5 KSA	82a-12	19		M	W#9		
		ER WELL:	Fraction	_		Section Num		Township	Number		Range Nur		
	<del>sartor</del>			<u>¼ らいゅら</u>		$\mathcal{A}$		<b>→</b> 17	S	R	13	<b>®</b>	
	nd direction Sank		vn or city street	address of well if loca	ated within o	city?						_	
	DOC! II	VED. CAP SU	Sank Tern	ninal #ST933	35								
BR# St A	Address Boy	# : 170"	+ NE SOL		, -			Board of	Agricultur	o Division	of Water	Resources	
City, State,		Susa	OK. KS						ion Numbe		UI Water	nesources	
LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF	COMPLETED WELL.	20	ft FI	FVATIC	)N·					
-J AN "X"	IN SECTION	BOX:		ndwater Encountered									
т Г	i i	•		C WATER LEVEL									
	- NW			mp test data: Well w									
	-	1,622	Est. Yield	gpm: Well w	ater was		ft. after	·	hours	pumping		gpm	
* w -		Е		meter <b>8</b> . 7.4 in.	to <b>ઝે</b>	<b>)</b>						ft.	
₹ "				TO BE USED AS:		water supply		Air conditioni	-	-			
1  -	- SW	SE	1 Domesti			d water supply	_	-		12 Other (			
	!	. !	2 Irrigation	n 4 Industrial II/bacteriological sampl		and garden or	_						
į L	<del>'</del>	<del>'</del>	mitted	i/bacteriologica: sampi	ie Subiriilleu	to Departmen					у/уг ѕалпрі No	e was sub-	
5 TYPE C	F BLANK C	ASING USED:		5 Wrought iron	8 C	oncrete tile	· · · · · · ·	CASING J				d	
ر 1 Ste		3 RMP (SI	R)	6 Asbestos-Cemer		other (specify I	below)			elded	•		
<b>O</b> PV	С	A ABS		7 Fiberglass					TH	readed			
				ft., Dia									
				in., weight	4	-	lbs./ft. \						
		R PERFORATION			•	PVC			sbestos-ce				
1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel				5 Fiberglass 6 Concrete tile		BRMP (SR) BABS			itner (spec Ione used				
		ATION OPENIN			uzed wrapp		8	Saw cut	ione asea		one (open	hole)	
_	ntinuous slot		lill slot		re wrapped			Drilled hole	s		, , , , , , , , , , , , , , , , , , ,	,	
2 Lou	uvered shutte	er 4 Ko	ey punched		rch cut			Other (spec					
SCREEN-F	PERFORATE	D INTERVALS:		ft. to		ft.,	From .		<i></i> . f	t. to		ft.	
_			From [1	ft. to	٠٠٠ این	ft.,	From .		f	t. to		ft.	
G	RAVEL PAG	CK INTERVALS:		ft. to									
6 GBOLIT	MATERIAL	: 1 Neat o	From	ft. to		π., Bentonite		ner		t. to			
Grout Inter		_		ft., From	ာ မ	ft to 4							
		urce of possible		,			_ivestocl	•	14				
1 Septic tank 4 Lateral lines				7 Pit privy			Fuel stor	•			l well/Gas well		
2 Sewer lines 5 Cess pool			pool	8 Sewage I	agoon	12 Fertilizer storage			16	16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit			age pit	9 Feedyard	•			de storage					
Direction fr FROM	rom well?		LITHOLOGI	2100	1 500		/ many 1		PLUGGING	C INTERV	AL C		
O	5	Brown	Black C		FRC	M TO			FLOGGIN	3 INTERV	ALS		
5	10	Brown	Claus	<u>~</u>	<del></del>								
10	15	Brown		au Silt									
_15	18	Tan/G	rey Cla	y Silt									
18	19	Tan	San'dy la	<u>ver</u>									
19	20	Tan C	lay										
			<u> </u>				_						
							-						
												<del></del>	
			~										
_		1 -	R'S CERTIFICA	TION: This water well	was (1) ¢o								
	on (mo/day/	•	20.03					s true to the			e and belie	ef. Kansas	
		License No	607	This Water		-		1 1/1/	<b>/</b>	<b>03</b>			
		ne of Day 15			illing.		ignature	1 11 711	k / a	us			
INSTRUC of Health	UTIONS: Use type h and Environme	pewriter or ball point pent, Bureau of Water,	pen. <u>PLEASE PRESS</u> Topeka, Kansas 66	FIRMLY and PRINT clearly. 620-0001. Telephone: 913-29	Please fill in b 6-5545. Send o	anks, underline or one to WATER WE	circle the	correct answers R and retain one	. <b>Send το</b> ρ the for your reco	ree copies to ords.	Kansas Dep	artment	