WATE	R WE	LL RECORD	Form W	WC-5	Division of Wate	r Resources App. No). L	
1		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
	County: Barton 1/4 SE 1/4 NW 1/2				T 17 S			
		Address of Well Location; i			Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here						Latitude: (in decimal degrees) Longitude: (in decimal degrees)		
150)2 N. C	enter, Hoisington, Ks.				Elevation: (in decimal degrees)		
2 33/4	men u	ELLOWNED			<u>Datum</u> : ☐ WGS 84	1, □ NAD 83, □	NAD 27	
		ELL OWNER: Ben Bre			Collection Method:			
RR#, Street Address, Box #: 1502 N. Center City, State, ZIP Code : Holeington, Ks. 67544						☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
Hoisington, Ks. 67544					Est. Accuracy:	3 m, 3-5 m, 3	5-15 m, □ >15 m	
1	ATE W	ELL		76		, , , , , , , , , , , , , , , , , , , 		
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 76							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water wasft. after hours pumping							
W NW NE E EST. YIELD. NAgpm. Well water was							oinggpm	
							ft.	
							jection well	
	SwSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well							
	S		lay/yr sample was su			Yes VINO		
	1 mile		ected? 📝 Yes 🔲					
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .76 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. 18 in., Weight SDR26 lbs./ft., Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From) IL.	
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
	Watertig	ht sewer lines 🔲 Seepage pit		Fertilizer st	orage 🔲 Oil well/gas	well House	• • • • • • • • • • • • • • • • • • • •	
		n well .West			rom well10ft			
FROM	TO	LITHOLOGIC	CLOG	FROM	TO LITHO. LO	G (cont.) or PLUG	GGING INTERVALS	
0	2	Top soil						
2	44 47	Tan clay						
44 47	55	Sandstone Fire clay						
55	63	Sandstone						
63	67	Gray shale						
67	71	Sandstone						
71	80	Fire clay						
7 CONTRACTORIS OR LANDOWNIERIS CERTIFICATION TO THE STATE OF THE STATE								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or □ plugged under my jurisdiction and was completed on (mo/day/year) .6131								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 6-17-11								
under the business name of Rosencrantz-Bemis by (signature)								
INSTRUC	TIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRMLY	and PRINT clea	rly. Please fill in blanks a	nd check the correct a	inswers. Send three copies	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www	http://www.kdheks.gov/waterwell/index.html							

Check: White Copy, Blue Copy, Pink Copy

KSA 82a-1212