WATER WELL RECORD			Form WWC	C- 5	Division of Water	Resources App. N	o. L	
1 LOC	ATION	OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
County: Barton			1/4 SW 1/4 SW 1/4		4 T 17 S R 13 □E ☑W			
		Address of Well Location;			Global Positioning System (GPS) information:			
from	nearest 1	town or intersection: If at o	owner's address, check her	е 🗀. \mid	Latitude: (in decimal degrees)			
2 1/	2 1/2 South of Susank				Longitude: (in decimal degrees)			
					Elevation:			
2 WATER WELL OWNER: Keith Lang					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
TOIS! La			ing Isank Road)	
C' C 7TD C 1								
Hoisingt			ton, Ks. 67544		Est. Accuracy:			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 142 ft.								
	TION BO	OX: Depth(s) Groundwater Encountered (1)						
	N	Depth(s) Groundwater Encountered (1)						
	Pump test data: Well water wasft. after hours pumping gpm							
				.gpm. Well water wasft. after hours pumping gpm				
				ft., andin. toft.				
			TO BE USED AS: ☐ Pu				Injection well	
Domestic Decilies Doil field water country Domestic Double (Consider Line								
SW - SE - Domestic Feedlot Off field water supply Dewatering Domestic Stock Stock Domestic-lawn & garden Monitoring well Stock Domestic-lawn & garden Monitoring well Stock Domestic-lawn & garden Domesti								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
	mile		fected? ☑ Yes ☐ No					
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter .5 in. to .142 ft., Diameter in. to								
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft. From ft. to ft								
GRAVEL PACK INTERVALS: From142 ft. to20 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft. to ft.								
Grout Intervals: From ft. to ft. From 20 ft. to ft. From ft. to ft.								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Shed								
		m well South						
FROM	TO	LITHOLOG	IC LOG FI	ROM	TO LITHO. LC	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0	2	Top soil						
2	38	Tan clay						
38	75	Black shale & limestone)					
75	101	Dark gray shale						
101	117	White clay/ small streak	s of					
		sand stone						
117	138	Sand stone						
138	142	Fire clay						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .7-31-12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 9-18-12.								
under the business name of Rosencrantz-Bemis by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Define Copy, Pink Copy								