· · · · · · · · · · · · · · · · · · ·				R WELL RECORD					
	ON OF WAT Rush	ER WELL:	Fraction SE 1/2	SE ½ NV	т і 1	tion Number O	Township Numl	1	Range Number R <sup>16W</sup> E/W
County: Distance a		from nearest town		address of well if locate	/4		Τ Τ΄	S	R <sup>±</sup> E/W
		Otis, Kans	-	daress of well in locate	ou within city:				
·	R WELL OW		Otto Mar	neth					
4	Address, Box		Otis, Ka	ansas 67565			Board of Agric	culture, Di	vision of Water Resourc
Citv. State	ZIP Code	:	·				Application N		None
LOCATE	WELL'S LO	OCATION WITH 4	DEPTH OF C	COMPLETED WELL.	185	. ft. ELEVAT	<sub>ION</sub> Unknow	m	
□ AN "X"	IN SECTION	BOX:	그 Depth(s) Ground	water Encountered	1 140	ft. 2		ft. 3.	9/8/81
ī	1	1	WELL'S STATIC	WATER LEVEL	140 . ft. b	elow land surf	ace measured on me	o/day/yr	9/8/81
	- NW	NE	Pum	p test data: Well wat	er was	ft. af	ter	ours pum	ping gpr
	- '''	,							ping gpr
* w  -	l X	_			, †82 · · · · ·		ind	in.	to
≦ "	- !	!   -  \		TO BE USED AS:	5 Public wate		B Air conditioning		jection well
-	- SW	SE	1 Domestic	l .	6 Oil field wat				ther (Specify below)
	!	!    ,	2 Irrigation	4 Industrial					
<u>!</u> L			vvas a chemicai/ mitted	bacteriological sample	submitted to De		er Well Disinfected?		no/day/yr sample was su No
TYPE	DE BLANK C	ASING USED:	milited	5 Wrought iron	8 Concre				Clamped
1 Ste		3 RMP (SR	)	6 Asbestos-Cement		specify below		,	1
2 PV		4 ABS	,	7 Fiberglass			•		led
-			n. to . 165	-	in. to				ı. <b>to</b> f
Casing hei	ght above ia	ind surface	12	.in., weight 2		lbs./f	t. Wall thickness or g	gauge No.	Sch. 40
TYPE OF	ȘCREEN OI	R PERFORATION	MATERIAL:		7 PV	2	10 Asbest	os-cemen	t
1 Ste	eel	3 Stainless	steel	5 Fiberglass	8 RM	P (SR)	11 Other	(specify) .	
2 Bra		4 Galvanize		6 Concrete tile	9 AB		12 None i		*
		RATION OPENING			zed wrapped		8 Saw cut		11 None (open hole)
	ntinuous slo				wrapped		9 Drilled holes		
	uvered shutt	•	y punched	165 7 Torc		X 2			
SCHEEN	ENCONATE	ED INTERVALS:	From						
C	RAVEL PAG	CK INTERVALS:	From	10 ft. to	1	85 ft. From	1	ft. to	
			From						
GROUT	MATERIAL		<u>ement</u>	2 Cement grout	3 Bento				
Grout Inter	vais: Fror	m 9 f	ft. to10	ft., From	ft.	to	ft., From		. ft. to
		urce of possible of				10 Livest			andoned water well
	ptic tank	4 Latera				11 Fuel s	=		well/Gas well
_	wer lines	5 Cess p	•	-			ertilizer storage 16 Other (specify below)		
		er lines 6 Seepa Sou		9 Feedyard			icide storage <sub>IV feet?</sub> 250		
Direction f. FROM	TO T	500	LITHOLOGIC	LOG	FROM	How man	<u> </u>	HOLOGIC	C LOG
0	15	Limestone							2204
15	150	Shale							W 1 A 1 A
150	185	Sand rock							
						· · · · · · · · · · · · · · · · · · ·			
							<u></u>		
									Communication of the communica
***************************************									- <del>-</del>
		Autority (Company)	-						
CONTE	RACTOR'S C	)R LANDOWNER'	'S CERTIFICAT	ION: This water well v	vas (1) construc	cted (2) recor	astructed or (3) pluc	aed unde	r my jurisdiction and wa
completed	on (mo/day/	year)			(	and this recor	d is true to the best	of my know	r my jurisdiction and wa wledge and belief. Kansa
•	, ,	s License No		A/	Vell Record wa		40	/29/81	wledge and belief. Kansa
under the l	ousiness nar	me of		Water Wells		by (signati	ure) Some	3.	
									correct answers. Send to
		Department of Hea e for your records		ment, Division of Enviro	nment, Environr	mental Geolog	y Section, Topeka, KS	5 66620. S	send one to WATER WEL