		ATER WELL:	Fraction			Section Num	ber lownship	Number	Range N	Number
County:	Rush		SW 1/4	SW 1/4	NW ¼	34	T 17	S	R 18	₽ ₩
Distance	and direction	on from nearest to	wn or city street a	ddress of well if	located within	n city?	- · · · · · · · · · · · · · · · · · · ·			$ \cup$ $ $
102 M	Iain Stree	t, LaCrosse, Ka	ansas			-				
		WNER: Schaffer		 						
										İ
1		ox# : Box 538							sion of Water I	Resources
	e, ZIP Code		se, Kansas 675				Application N			l
3 LOCA	TE WELL'S	LOCATION	4 DEPTH OF CO	MPLETED WEL	L 1.7,	ft. El	EVATION:	20	055.97	
WITH.		ECTION BOX.					. ft. 2			
т ,		N	MELL'S STATIC!	MATER LEVEL	8 64	# holowlen	d surface measured		0	/07
↑	4									
	NW	NE	Pump	test data: VVell	water was	NAf	t. after	. hours pur	nping	gpm
	. 144.4	1	Est Yield NA	gpm: Well	water was .	f	t. after	hours pur	mping	gpm
Wile W	Υ .	1 1	Bore Hole Diamet	er 8 i	in. to	.17f	t, and	in	. to	ft
₩ W	^	 E	WELL WATER TO	D BE USED AS	: 5 Public v	vater supply	8 Air condition		Injection well	1
-			1 Domestic	3 Feedlot			9 Dewatering			, bolow)
	SW	SE	2 Irrigation		7 Louis	water supply	10 Monitoring w	-11		
				4 muusutat	/ Lawn ai	na garaen oniy	10) Wonitoring w	en		<i>.</i>
V				acteriological s	ampie submit		ent? YesNo.			mple was
		3	submitted				Water Well Disinfed			nped
5 TYPE	OF BLANK	CASING USED:	5	Wrought iron	8 C	oncrete tile	CASING J	OINTS: Glued	iClam	nped
1 S	iteel	3 RMP (SR) E	Asbestos-Cer	ment 9 C	ther (specify b	elow)	Weld	ed	
(2)°		4 ABS	•	' Fiberglass					aded. 🏑	
				•					7	
	-						ft, Dia			
Casing he	eight above	land surface	-4. 44 ir	n., weight	_		s./ft. Wall thicknes	s or gauge N	lo	
TYPE OF	SCREEN C	R PERFORATION	I MATERIAL		7	PVC	10 As	sbestos-ceme	ent	
1 S	teel	3 Stainless	steel 5	Fiberglass	S S	RMP (SR)	11 0	her (specify)) <i></i>	
	rass	• • • • • • • • • • • • • • • • • • • •		Concrete tile		ABS		one used (op	•	
									=	1
		RATION OPENING			Sauzed wrapp		8 Saw cut		11 None (op	en noie)
1 C	Continuous	· · · · · ·		6 V	Vire wrapped		9 Drilled holes			l
2 L	ouvered sho	utter 4 Ke	y punched		forch cut		10 Other (speci			
SCREEN-	PERFORAT	ED INTERVALS:	From	.7 ft.	to 1'	7ft.,	From	ft.	to	ft
				ft.	to	ft.	From	ft	to	ft
(GRAVEL PA	CK INTERVALS:					From			
`	OI V (V L L 1 7						From			
	T MATERIA			Cement grout		entonite	4 Other			
Grout Inte	rvals: Fro	m	ft. to 4	ft, From.	4	. ft. to ($\delta \ldots $ ft, From .		ft. to	ft
		ource of possible					vestock pens		bandoned wate	T .
	tic tank	4 Latera		7 Pit priv	.,		uel storage		il well/Gas well	- · - · · · · · · · · · · · · · · · · ·
•							•			
	er lines	5 Cess	•	8 Sewage			ertilizer storage		ther (specify b	
	-	erlines 6 Seepa	age pit	9 Feedya	ırd		secticide storage	···Fo	ormer Tank	. Basin .
Direction	from well?	Northwest				How r	many feet? 430			
FROM	10		LITHOLOGIC LO	XG	FRO	м то	P	LUGGING IN	TERVALS	
0	3	Clay, Dark Br	own							
3	12	Clay, Light Re								
	+						 			
12	17	Clay, Light Br	own							
					1					1
							 			
							-			
				-			1			
							NOV. T # 0010	agor Flori		
							MW6, Tag # 0019			
							Project Name: Sci	naffer Oil Co	mpany	
							GeoCore # 486, k	DHE # U6 0	83 10617	
7 CONTE	ACTORIS (S CERTIFICATION	V: This unter w	eli wed 11co	netructed (2)	reconstructed, or (3			ction
	MC IOKS (A LANDOWNERS	S CERTIFICATIO	1. This water W	en was (1) CO	nou ucteu, (Z) i				
		n (mo/day/year)					s record is true to the			
Kansas W	/ater Well C	contractor's Licens	e No	52 7	. This Water		ras completed on (m	o/day/yr/j . /	,	
under the	business na	ame of	GeoCore	Services, Inc	2.	by (sig	nature)	Kell		
INSTRI Departi	UCTIONS: Us ment of Health	e typewriter or ball poin and Environment, Bure	t pen. PLEASE PRES	SS FIRMLY and PR	INT clearly. Plea	ise fill in blanks, u 3-296-5545. Send	nderline or circle the corr one to WATER WELL C	ect answers. So WNER and reta	end top three copi	es to Kansas cords.

WATER WELL RECORD Form WWC-5 KSA 82a-1212