WATER WELL RECORD	Form WW	C-5	Division of Wate	er Resources; App. No.	
	Fraction Sul		Section Number		Range Number R E/W
Distance and direction from nearest town or cit	ty street address of	well if	Global Positioning	Systems (decimal deg	
located within city 3 Wee South of Pomma Latitude: Longitude:					
),5 pun 30 m	NO TOM	oria			
2 WATER WELL OWNER: ROBERT	CROVER	-			
2 WATER WELL OWNER: ROBERT RR#, St. Address, Box # : 713 HAS City, State, ZIP Code :	Reu lenk		Datum:		
107	7.0	4017	Data Collection		
3 LOCATE WELL'S 4 DEPTH OF COMI	PLETED WELL.		<b>)</b> ft.	•	
WITH AN "X" IN Depth(s) Groundwater	Encountered (1	)	ft (2)	ft (3)	. ft
WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered (1), ft. (2), ft. (3), ft. (3), ft. (4), ft. (5), ft. (6), ft. (7), ft. (7), ft. (8), ft. (9), ft. (10),					
N Pump test data: Well water wasft. after hours pumping					
Est. Yieldgpm: Well water wasft. after hours pumpinggpm					
WELL WATER TO BE USED AS: 5 Public water supply  NE - NW - NE - NE - NE - NE - NE - NE -					
W Domestic 3 Fee 2 Irrigation 4 Ind	dlot 6 Oil fil	eld water su	ipply 9 Dev	vatering 12 Ot	her (Specify below)
	iustriai / Dome	esuc (lawn o	x garden) 10 Mo	intoring wen	•••••
Was a chemical/bacteriological sample submitted to Department? Yes No					
Sample was submitted					
S				^	
5 TYPE OF CASING USED: 5 Wrought	Iron 8 Co	oncrete tile	CASIN	G JOINTS: Glued	Clamped
1 Steel 3 RMP (SR) 6 Asbestos	-Cement 9 Ot	her (specify	below)		
2 PVC 4 ABS 7 Fiberglass	3			Threaded	l
Blank casing diameter in. to	ft., Diameter.		in. to ft.	, Diameter	in. tott.
2 PVC 4 ABS 7 Fiberglass Threaded.  Blank casing diameter in. to ft., Di					
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)					
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
GRAVEL PACK INTERVALS: From					
From					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 5 Bentonite 4 Other					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other  Grout Intervals: From					
What is the nearest source of possible contamination:					
1 Septic tank					
2 Sewer lines 5 Cess pool	8 Sewage lagoon	11 Fuel s		bandoned water well	below)
3 Watertight sewer lines 6 Seepage pit	9 Feedyard		zer Storage 15 C	oil well/gas well	•••••
FROM TO LITHOLOGIC	TOGUA	FRON		PLUGGING INT	FRVALS
TROM TO ETHIOLOGIC	J.F. (100	TRON		- 1/	DICTIES
Can Vitarial			+3 3	en Houte He	loche
Glark Coll		~		*	
		,		0	
	5 PVL CAS	INY	3-0 70	DSOW	
DC Variety	7				
DEMONU	15-5"PVC	Couple	4		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
- rum oxopin - 5		_			
7 CONTRACTOR'S OR LANDOWNER'S C	ERTIFICATION:	This wate	r well was (1) cons	tructed, Oreconstruc	ted, or (3) plugged
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) econstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No 5.3 . This Water Well Record was completed on (mo/day/year)					
under the business name of Allies Du	up swell +	Wellen	(signature)	m tolelur	
INSTRUCTIONS: Use typewriter or ball point pen PLEASI PRESS FIRMLY and PRITT clearly. Please file in blanks, under the or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone					
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at					
http://www.kdhe.state.ks.us/geo/waterwells.					