

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <b>Rush</b>	<b>SE 1/4 SE 1/4 NW 1/4</b>	<b>34</b>	<b>T 17 S</b>	<b>R 18 E</b>

Distance and direction from nearest town or city street address of well if located within city?

**Northwest corner of 9th Street & Columbia Street**

2 WATER WELL OWNER:	<b>LaCrosse Power Plant</b> RR#, St. Address, Box # : <b>221 E. 9th Street</b> City, State, ZIP Code : <b>LaCrosse, Ks.</b>
	Board of Agriculture, Division of Water Resources Application Number: <b>NA</b>

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL <b>31.5</b> ft. ELEVATION: <b>30</b> ft. Depth(s) Groundwater Encountered <b>1.20</b> ft. 2. <b>30</b> ft. 3. <b>11-03-93</b> ft. WELL'S STATIC WATER LEVEL <b>6.58</b> ft. below land surface measured on mo/day/yr Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter <b>7.5/8</b> in. to <b>3</b> ft. and _____ in. to _____ ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <b>(10) Monitoring well</b> Was a chemical/bacteriological sample submitted to Department? Yes _____ No <b>X</b> ; If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes _____ No <b>X</b>
--	---

5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____ 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded _____ <b>(2) PVC</b> 4 ABS 7 Fiberglass Threaded <b>X</b> Blank casing diameter <b>2</b> in. to <b>16.5</b> ft. Dia _____ in. to _____ ft. Dia _____ in. to _____ ft. Casing height above land surface <b>0</b> in. weight _____ lbs./ft. Wall thickness or gauge No. <b>sch. 40</b> TYPE OF SCREEN OR PERFORATION MATERIAL: <b>(7) PVC</b> 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) _____ 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot <b>(3) Mill slot</b> 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) _____ SCREEN-PERFORATED INTERVALS: From <b>16.5</b> ft. to <b>31.5</b> ft. From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From <b>15</b> ft. to <b>31.5</b> ft. From _____ ft. to _____ ft.
------------------------------	--

6 GROUT MATERIAL:	1 Neat cement <b>(2) Cement grout</b> <b>(3) Bentonite</b> 4 Other _____ Grout Intervals: From <b>0</b> ft. to <b>9</b> ft. From <b>9</b> ft. to <b>15</b> ft. From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy <b>(11) Fuel storage</b> 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) Direction from well? <b>northwest</b> How many feet? <b>100</b>
-------------------	--

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	slty cly, dk brn, moist, sl small grvl			
5	11	slty cly, brn, sl small gry, v friable, damp			
11	16	cly, brn w/calc nodules, semiplstc, damp			
16	28	cly, gry, v friable, damp			
28	31.5	cly, brn, moist			
MW3-flush mount cover					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>(1)</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>12-19-93</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>527</b> This Water Well Record was completed on (mo/day/yr) <b>12-21-93</b> under the business name of <b>GeoCore Services, Inc.</b> by (signature) <i>[Signature]</i>	
--	--