

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>McPherson</u>		<u>NE 1/4 SE 1/4 NE 1/4</u>	<u>36</u>	T <u>17</u> S	R <u>2</u> E/W

Distance and direction from nearest town or city street address of well if located within city?
From Canton, 11 mile North, 3 mile West

2 WATER WELL OWNER: <u>John Crumpacker</u>		Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : <u>2434-24th Ave.</u>		Application Number:
City, State, ZIP Code : <u>Gypsum, KS. 67448</u>		

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>35</u> ft. ELEVATION:	
------------------------------------------------------	--	----------------------------------------------------------------------	--

Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 8 ft. below land surface measured on mo/day/yr 9-8-04 ft.

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
		10 Monitoring well

12 Other (Specify below) STOCK

Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: <u>Glued</u> Clamped
1 Steel		6 Asbestos-Cement	9 Other (specify below)	Welded
2 <u>PVC</u>		7 Fiberglass		Threaded
3 RMP (SR)				
4 ABS				

Blank casing diameter 5 in. to 20 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 24 in., weight 160# lbs./ft. Wall thickness or gauge No. 214

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless Steel	5 Fiberglass	7 <u>PVC</u>	10 Asbestos-Cement
2 Brass	4 Galvanized Steel	6 Concrete tile	8 RMP (SR)	11 Other (Specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 <u>Saw cut</u>	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify) ft.

SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 35 ft. to 18 ft., From ft. to ft.

6 GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other <u>Hole Plug</u>
-------------------	--	---------------	----------------	-------------	--------------------------

Grout Intervals: From 18 ft. to 0 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	<u>NONE</u>

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>3</u>	<u>Top Soil</u>			
<u>3</u>	<u>8</u>	<u>Dark Brown Clay</u>			
<u>8</u>	<u>23</u>	<u>Brown Clay</u>			
<u>23</u>	<u>30</u>	<u>Brown Clay w/ pieces of iron-sided rock: brittle shale</u>			
<u>30</u>	<u>35</u>	<u>Soft Sticky Grey Shale</u>			

RECEIVED

OCT 13 2004

BUREAU OF WATER

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-8-04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 9-29-04 under the business name of Racine & Benis Ent. by (signature) James Dodson