198 11256 <b>WATER WEI</b>			Form WWC-5		n of Water	20110460		
	OF WATER WELL:	Fraction		Section N		Township No.	Range Number	
County:	Rush	1/4 NE 1/4 NE	1/4 SW 1/4	34		T 17 S	R 20 □E 🛛 W	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here					Latitude: 38.529381 (in decimal degrees) Longitude: -99.521953 (in decimal degrees)			
Approximately 3.5 miles south and 2.5 miles east of McCracken.					e:	-99.521953	(in decimal degrees)	
					:	unknown		
2 WATER WELL OWNER: Ares Energy, LTD					」WGS 84 Method:	4, 🛛 NAD 83, 🗌	J NAD 27	
RR#, Street Address, Box #: 405 N. Marienfeld - Suite 250					unit (Make	e/Model: WAAS	)	
City, State, ZIP Code : Midland, TX 79701					Digital Map/Photo, Topographic Map, Land Survey			
					acy: <	3 m, 🔀 3-5 m, 📘	5-15 m, >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 387 ft.								
SECTION BOX: Depth(s) Groundwater Encountered (1) ft (2) ft (3)								
Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 115.33 ft. below land surface measured on mo/day/yr 10/18/11								
Pump test data: Well water was Not checked ft. after hours pumping gpm								
-NW   EST. YIELDgpm. Well water wasft. afterhours pumping gpm								
W -NW-   EST. YIELD gpm. Well water was ft. after hours pumping gpm								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes X No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ▼ Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Simple Clamped Welded Threaded Casing diameter in. to ft., Diameter 5 in. to 305 ft., Diameter in. to ft.  Casing height above land surface 24 in., Weight 237 lbs./ft., Wall thickness or gauge No. 3.54								
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surfacein., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Course wround Torok out Divilled holes Thoro (ones hole)								
Continuous stot   Continuous								
SCREEN-PER	FORATED INTERVALS:	From	it. to	00 ft.	, From	ft.	to ft.	
CDAN	TEL DACK INTERVALE.	From30	tt. to	It. 385 &	, From	II.	to II.	
GRAV	EL PACK INTERVALS:	From	11. 10 ft to	ft	From	II. ft	to1t.	
Fromft. toft., Fromft. toft. toft.  6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From ft. to ft., From 0 ft. to 50 ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic ta	ank 🔲 Lateral li	nes 🔲 Pit privy	Livestock		Insecticide		her (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage						water well	None Known	
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well  Direction from well  Distance from well								
FROM TO	LITHOLOG	FIC LOG	FROM		ITHO I C	OG (cont.) or DI I	UGGING INTERVALS	
0 1	Topsoil	110 1/00				e, brown, hard	SGOTTO TITLEXYALS	
1 26	Clay, yellow, yellow li	mestone				-,, man d		
26 177	Shale, black, hard, w							
177 197	Clay, gray		<b></b>		***************************************			
197 205	Sandstone				·			
205 210	Clay, gray							
210 213	Sandstone						**************************************	
213 270	Clay, gray, red							
270   305	Clay, gray, red, with	sandstone streaks						
305   397	Sandstone, soft, tan							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 10/18/11 and this record is true to the best of my knowledge and belief.								
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								
ikansas water wen contractors bleense ito ins water wen kecord was completed on (mo/day/year)								
under the business name of Clarke Well & Equipment, Inc. by (signature)  INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
(white, blue, pink)	to Kansas Department of Healt	h and Environment, Bureau	of Water, Geo	logy Section.	1000 SW Ja	ackson St., Suite 420.	, Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records, Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html,  KSA 82a-1212  Check: White Copy, Blue Copy, Pink Copy								
1.011 04a-1414				Check	µ∠∆( W 1	писсору, 🗀 ВІ	lue Copy, 📙 Pink Copy	