OCATION OF V								
		Fraction		Se	ction Numbe	- I		Range Number
	ess	ne 1/4	sw ¼ se	1/4	32	<u>T 17</u>	S	R 21 EW
	on from nearest town	•		,				
5½	miles nort	n-1 east	of Bazine,K	s.				
WATER WELL	OWNER: M:	ildred Sa	user					
#. St. Address.	Box # : 51	225 Eises	hower			Board of	Agriculture. [Division of Water Resource
, State, ZIP Cod		reat Bend		0			ion Number:	
N "X" IN SECT	ION BOX:	epth(s) Groundwa	ater Encountered 1.		ft.	2	ft. 3	ft.
W SW SW I		st. Yield n.a . pre Hole Diamete ELL WATER TO 1 Domestic 2 Irrigation as a chemical/bactted	gpm: Well water or 1 0 in. to . BE USED AS: 5 3 Feedlot 6 4 Industrial 7 cteriological sample su	was	ft., ft., ft., ft., ft., ft., ft., ft.,	after	hours putin. ng 11 12 0 well Winx; If yes, cted? Yes	mping
	CASING USED:		Wrought iron	8 Concr				·
1 Steel	3 RMP (SR)	e	S Asbestos-Cement	9 Other	(specify being	ow)	Welde	ed
~2~ PV C~	4 ABS		•					ded
								in. to ft
sing height above	and surface	.18 in	., weight	. <i>.</i>	Ibs	./ft. Wall thicknes	s or gauge No	258
	OR PERFORATION N			7 PV			sbestos-ceme	
1 Steel	3 Stainless st		Fiberglass	8 RM				····
2 Brass	4 Galvanized		Concrete tile	9 AE			one used (op	
	ORATION OPENINGS			d wrapped		8 Saw cut	one used (op	•
1 Continuous							•	11 None (open hole)
				rapped		9 Drilled holes	-	
2 Louvered sh	•	puriched	7 Torch o				XITV)	
			_	2.0				
HELIV-FEHFOH/	NTED INTERVALS:						ft. to	o
,	TED INTERVALS:	From	ft. to		ft., Fro	om	ft. to	o
1	PACK INTERVALS:	From	ft. to		ft., Fro	om	ft. to	
1		From	ft. to		ft., Fro	om	ft. to	o
1	PACK INTERVALS:	From 1 . 0 . From	ft. to ft. to ft. to	3.0	ft., Fro ft., Fro ft., Fro	om	ft. to	o
GRAVEL I	PACK INTERVALS: AL: 1 Neat cen	From	ft. to ft. to ft. to Cement grout	3.Q	ft., Fro ft., Fro ft., Fro	om	ft. to	D
GRAVEL I	PACK INTERVALS: AL: 1 Neat cerr from0ft.	From 1 0	ft. to ft. to ft. to Cement grout	3.Q	ft., Fro ft., Fro ft., Fro Poite 4 to	om	ft. to	. ft. to
GRAVEL I	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor	From	ft. to ft. to ft. to ft. to Cement grout ft., From	3.Q	ft., Fro ft., Fro ft., Fro paite 4 to	om	ft. to ft. to	oft oft oft oft oft oft. toft
GRAVEL I GROUT MATERI out Intervals: F at is the nearest 1 Septic tank	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3. Bento	ft., Fro ft., Fro ft., Fro Daite 4 to 10 Live 11 Fuel	om	ft. to ft	o
GRAVEL I GROUT MATERI ut Intervals: F at is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagoo	3. Bento	ft., Fro ft., Fro ft., Fro paite _ 4 to 10 Live 11 Fuel 12 Ferti	omom Othertt., From stock pens I storage	ft. to ft	o
GRAVEL I GROUT MATERI ut Intervals: F at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3. Bento	ft., Fro ft., Fro onite _ 4 to 10 Live 11 Fuel 12 Ferti 13 Inse	om	ft. to ft	o
GRAVEL I GROUT MATERI ut Intervals: F at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s action from well?	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagood 9 Feedyard	3. Bents ft.	ft., Fro ft., Fro ft., Fro onite 4 to 10 Live 11 Fuel 12 Ferti 13 Inse How ma	omom Othertt., From stock pens I storage	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI ut Intervals: F at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s action from well?	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagood 9 Feedyard	3. Bento	ft., Fro ft., Fro onite _ 4 to 10 Live 11 Fuel 12 Ferti 13 Inse	om	ft. to ft	of the second of
GRAVEL I GROUT MATERI ut Intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO	PACK INTERVALS: AL: 1 Neat cern from0ft. source of possible corn 4 Lateral I 5 Cess po ewer lines 6 Seepage	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3. Bents ft.	ft., Fro ft., Fro ft., Fro onite 4 to 10 Live 11 Fuel 12 Ferti 13 Inse How ma	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI ut intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 7 17	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral II 5 Cess po ewer lines 6 Seepage Brown to Silty li	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI tut Intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s oction from well? 7 7 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI ut Intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 7 1 7	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI Let Intervals: Feat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? NOM TO 7 17 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI Let Intervals: Feat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? NOM TO 7 17 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI tut Intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s oction from well? 7 7 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI ut Intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s oction from well? 7 7 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI ut Intervals: F at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s action from well? 7 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI ut Intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s oction from well? 7 7 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI tut Intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s oction from well? 7 7 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI Let Intervals: Feat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? NOM TO 7 17 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI ut Intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s oction from well? 7 7 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	of the second of
GRAVEL I GROUT MATERI ut Intervals: F at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s action from well? 7 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI tut Intervals: F at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s action from well? 7 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	of the second of
GRAVEL I GROUT MATERI tut Intervals: F at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s action from well? 7 17 28	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI tut Intervals: F at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s action from well? 7 7 17 28 28 32	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown Hard gray	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard OG 1 clay 7 Ith cletche	3.Bento	to	om	14 At 15 OH 16 OH 17 OH 15 OH 15 OH 16 OH 16 OH 17 OH 16 OH 17 OH 16 OH 17 OH 16 OH 17 OH 18 OH	ft. to
GRAVEL I GROUT MATERI tut Intervals: F at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s action from well? 7 7 17 28 28 32	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown Hard gray	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard OG 1 clay 7 Ith cletche	3.Bento	to	om	14 At 15 OH 16 OH 17 OH 15 OH 15 OH 16 OH 16 OH 17 OH 16 OH 17 OH 16 OH 17 OH 16 OH 17 OH 18 OH	of the second of
GRAVEL I GROUT MATERI ut intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s action from well? 7 17 17 28 28 32	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral II 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown Hard gray	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG 1 clay 1 th cletche	3. Bento ft.	to	om	14 At 15 Oi 16 Oi none	ft. to
GRAVEL I GROUT MATERI Let Intervals: Feat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? TO 7 17 17 28 28 32 CONTRACTOR'S pleted on (mo/d	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral II 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brown Hard gray	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard CG 1 clay Tith cletche	3. Bento ft.	tt., From tt., F	om	14 At 15 Oi 16 Oi none	of the following of the
GRAVEL I GROUT MATERI at Intervals: Fat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s ction from well? O	PACK INTERVALS: AL: 1 Neat cerr from0ft. source of possible cor 4 Lateral I 5 Cess po ewer lines 6 Seepage Brown to Silty li Soft brow Hard gray Hard gray S OR LANDOWNER'S ay/year)5	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG 1 clay Tith cletche N: This water well was This Water We	3. Bento ft. TROM and s (1) constru	to	om	14 At 15 Or 16 Or 17 Or 18 Or 19 Plugged under best of my known 7 - 10 -	of the following of the
GRAVEL I GROUT MATERI Lit Intervals: Fi It is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s ction from well? 1 TO 1 TO 2 R 2 R 3 TO CONTRACTOR'S pleted on (mo/d er Well Contract er the business STRUCTIONS: Us	PACK INTERVALS: AL: 1 Neat cerr from	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OG 1 clay This water well was This Water Well FIRMLY and PRINT clear	3. Bento ft. 3. Bento ft. 3. Bento ft. 3. Bento ft. 6. (1) construction (1) constructio	to	community of the contract of t	14 At 15 Oi 16 Oi none LITHOLOGI Dest of my knowns for m	ft. to
GRAVEL I FROUT MATERI at Intervals: Fit it is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s ction from well? OM TO 0 7 17 17 28 28 32 CONTRACTOR'S pleted on (mo/d or Well Contract or the business STRUCTIONS: Us	PACK INTERVALS: AL: 1 Neat cerr from	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OG 1 clay This water well was This Water Well FIRMLY and PRINT clear	3. Bento ft. 3. Bento ft. 3. Bento ft. 3. Bento ft. 6. (1) construction (1) constructio	to	community of the contract of t	14 At 15 Oi 16 Oi none LITHOLOGI Dest of my knowns for m	oft. to
GRAVEL I GROUT MATERI at Intervals: Fit is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s ction from well? OM TO 7 17 17 28 28 32 CONTRACTOR'S pleted on (mo/d er Well Contract or the business STRUCTIONS: Us epartment of Health	PACK INTERVALS: AL: 1 Neat cerr from	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OG 1 clay This water well was This Water Well FIRMLY and PRINT clear	3. Bento ft. 3. Bento ft. 3. Bento ft. 3. Bento ft. 6. (1) construction (1) constructio	to	community of the contract of t	14 At 15 Oi 16 Oi none LITHOLOGI Dest of my knowns for m	ft. to