WATER WELL R		Form WWC-			ision of Water	1			
☐ Original Record ☐					urces App. N		Well ID		
1 LOCATION OF W	: Fractic	Sec Sec	tion Number		0 1				
County: NESS NEWNEWNEWNEWNEW 22 T/7 S R2 ( DE XW									
2 WELL OWNER: Last Name: Connor First: Mitch Street or Rural Address where well is located (if unknown, distance and									
Business: 3359/210 Rd  direction from nearest town or intersection): If at owner's address, check here:									
Address: 3331/210Rd									
Address: Mc Crack	en St	ate:大乡 ZIP://	7516						
3 LOCATE WELL		_				28 340	795 N (decimal degrees)		
WITH "X" IN	4 DEPTH C	F COMPLET	ED WELL: كِي	n بر	5 Latitu	de	(decimal degrees)		
SECTION BOX:	Depth(s) Groundwater Encountered: 1) 2.2 ft.					Longitude: 79, 3756 loss W (decimal degrees)			
N	10. BUA: 2)								
WELL'S STATIC WATER LEVEL:									
						(WAAS enabled?			
NW NE	Pump test data: Well water was3 ft.					☐ Land Survey ☐ Topographic Map			
w E	after2 hours pumping2.5 gpm					Online Mapper:			
	Well water was					T F			
SW SE	anter seem nouis pumping						A DY Ground Lavel D TOC		
	Estimated Yield: 2.5gpm Bore Hole Diameter:in. toft. and					Source:   Land Survey GPS Topographic Map			
_	S Bore Hole Diameter:گ in. to ft. and					Other	1013 Li Topograpine map		
7 WELL WATER TO BE USED AS:   1. Domestic:   5. □ Public Water Supply: well ID									
☐ Household 6. ☐ Dewatering: how many wells?									
						ermal: how many bor			
2. Irrigation		ironmental Remed				osed Loop Horizo			
						en Loop 🔲 Surface	Discharge 🔲 Inj. of Water		
4. Industrial			☐ Injection		13. 🔲 Ot	ner (specify):			
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:									
Water well disinfected? TV Ves  No									
8 TYPE OF CASING	USED:  Ste	el 177 PVC 🗖 Ot	her	CASI	NG JOINTS:	XGlued □ Clamp	oed  Welded  Threaded		
Casing diameter	in. to\$.	O ft., Diamet	er	in. to	ft., Diam	eter in. to	, ft.		
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass Д PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous Slot									
Louvered Shutter									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From 22 ft. to 5.0 ft., From ft. to ft. ft. to ft.									
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From ft.									
Nearest source of possible contamination:									
Septic Tank									
Sewer Lines									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify)  Direction from well?									
				11? <b>.</b>					
10 FROM TO		THOLOGIC LO	G	FROM	TO	LITHO. LOG (cont.)	or PLUGGING INTERVALS		
$\begin{vmatrix} c & 2 \\ -c & -2 \end{vmatrix}$	+0p,50'	V							
3 43	ye How	clay		ļ					
44 50	1 5 ha	le '							
<u> </u>		<del>,,,</del>							
		·							
	Notes:								
44 CONTRACTORS ON A ANTIQUE CONTRACTOR OF THE CO									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was A constructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and helief									
under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's License No. 8.2. This Water Well Record was completed on (no day-year)									
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,									
Mail 1 white copy alo	of . E. V.C ong with a fee of \$5		cted well to: Kan	Si	gnature	Environment, Bureau of	Water, GWTS Section,		
Mail 1 white copy alo	ng with a fee of \$5	5.00 for each constru-	cted well to: Kans	sas Department	of Health and	Environment, Bureau of ne for your records. Tele	Water, GWTS Section,		