			WWC-5	Division							
			ge in Well Use				rces App. No. Well ID				
1 LOCATION OF WATER WELL:			Fraction	Section N			Township Numb		ge Number		
	y: Ness	y yy Doylu	NE' NW NW NW NW N	4 NE½ 7 T 17 S R 22 DE Z W Street or Rural Address where well is located (if unknown, distance and							
2 WELL OWNER: Last Name: Pavlu Business:			First: Paul	direction from nearest town or intersection): If at owner							
Address: 25495 220 Rd.					Countru roads 230 & X, East 1/2 Mile on South side of the road						
Address: City:	ZIP: 67521	South a road 200 a 71, East 172 Will of Godal Glad of the road									
3 LOCAT		45 0 39 50604									
l .	WITH "X" IN SECTION BOY. 4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)										
SECTIO											
1	2)						Z WGS 84 LI NAI or Latitude/Longitude:		AD 21		
					2014		(unit make/model:				
NW	NE	, measured on (mo-day	l on (mo-day-yr)			(WAAS enabled?					
Pump test data: Well water v							☐ Land Survey ☐ Topographic Map				
W					1	☐ Onli	ne Mapper:				
			vater was								
Estimated Vield: 10			onm			6 Elevation: 2318					
	S Bore Hole Diameter:			.15 in. to			Source: Land Survey GPS Topographic Map				
	1 milein. to						Z Other KOLAR				
7 WELL WATER TO BE USED AS:											
	1. Domestic: 5. Public Water Supply: well ID										
	☐ Household 6. ☐ Dewatering: how many wells? ☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID										
. –	Z Livestock 8. ☐ Monitoring: well ID										
. —	☐ Irrigation 9. Environmental Remediation: well II										
	3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor										
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? ☑ Yes □ No											
8 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other											
Casing diameter 10 in. to 45 ft., Diameter in. to ft., Diameter in. to ft. Diameter in. to ft. Casing height above land surface 12 in. Weight lbs/ft. Wall thickness or gauge No. SDR 21											
Casing height above land surface											
YPE OF SCREEN OR PERFORATION MATERIAL: Steel											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☑ Saw Cut ☐ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From .20											
GRAVEL PACK INTERVALS: From 0 ft. to 5 ft., From 20 ft. to 45 ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement Bentonite Other Grout Intervals: From											
Nearest source of possible contamination:											
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☑ Livestock Pens ☐ Insecticide Storage											
☐ Sewer		☐ Cess Pool	☐ Sewage La			el Storage		med Water	Well		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
☐ Other (Specify)											
10 FROM	TO	LITHOLO		FROM			THO. LOG (cont.) or	PLUGGIN	GINTERVALS		
	5	Top Soil									
0 5	10	Tan Clay									
10	33	Soft white rock, fine o	oarse sand								
33	39	Tan Clay									
39	50	Blue Clay									
50	60	Blue Shale									
	Notes:								į		
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗸 constructed, 🗆 reconstructed, or 🗖 plugged											
under my jurisdiction and was completed on (mo-day-year) .11/18/2014 and this record is true to the best of my knowledge and belief.											
Kansas Wa	ter Well Co	ntractor's License No	46 This W	ater Well I	Record	d was compl	leted on (mo-day-ve	ear) 12/02	/2014		
under the b	usiness nan	ne of Nash Water Wel	I.Service, LLC			-					
		Send one copy to WATER W	ELL OWNER and retain	one for your	records	s. Fee of \$5.00	for each constructed we	11.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterweil/index.html KSA 82a-1212											
· wv 40 mil		THE PARTY OF THE P						1277			