WATER WELL R		WWC-5		sion of Water			
✓ Original Record □		nge in Well Use		urces App. No		Well ID	
1 LOCATION OF W.	ATER WELL:	Fraction		ion Number	Township Numl	ber Range Number	
County: Ness		NW 1/4 NE 1/4 SE 1/4		30	T 17 S	R 23 □ E 🗷 W	
2 WELL OWNER: La	ast Name: Schreiber	First: Brent	Street or Run	al Address w	here well is located	(if unknown, distance and	
Business: Address: 18001 H Ro	4					er's address, check here:	
Address:						HWAY 96 6.75 MILES	
City: Beeler	State: KS	ZIP: 67518	NORTHWE	THWEST 300 FEET.			
3 LOCATE WELL	4 DEPTH OF CO	MPLETED WELL:	695 n	5 Latitue	38.5476	(decimal degrees	
	WITH "A" IN Denth (s) Cround unter Engage to the State of						
SECTION BOX:	SECTION DOA:						
	WELL'S STATIC WATER LEVEL: 295 ft. Source for Latitude/Longitude:						
	below land surface	ce, measured on (mo-day-	yr).!!!!!!!!!!!!	☐ GP:	GPS (unit make/model:)		
NW NE X		e, measured on (mo-day- water was f		(
w		rs pumping		☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
	Well	water was f	t.				
SW SE	after hou	rs pumping	gpm	6 Floresti	on: 2422	t. 🗷 Ground Level 🔲 TOC	
	Estimated Yield:?	5gpm 9 in. to695					
S 1 mile				Source.	Other KOLAR	GPS Topographic Map	
7 WELL WATER TO		in. to	11.	I			
1. Domestic:		Vater Supply: well ID		10. □ Oil	Field Water Supply:	lease	
Household		ing: how many wells?		11. Test Ho	ole: well ID		
☐ Lawn & Garden	7. 🗌 Aquifer	Recharge: well ID		☐ Case	ed 🗌 Uncased 🔲	Geotechnical	
☑ Livestock		ing: well ID			rmal: how many bore		
2. Irrigation		ntal Remediation: well II			sed Loop		
3. ☐ Feedlot 4. ☐ Industrial	☐ Air Spar ☐ Recover		Extraction			Pischarge Inj. of Water	
Was a chemical/bacter Water well disinfected?		mitted to KDHE?	Yes 🔽 No	ii yes, date	sample was submitt	ed:	
& TVDE OF CASING	USED: C Steel [7] D	VC D Other	CASIN	IC IOINTS:	Clued 7 Clampa	d Welded Threaded	
Casing diameter 5	in to 695 f	Diameter	in to	ft Diame	ter in to	fl.	
Casing diameter5 Casing height above land s	surface18	in. Weight	lbs./ft.	Wall thickn	ess or gauge No. SD	R17	
TYPE OF SCREEN OR		ATERIAL:					
	nless Steel				r (Specify)		
1 —			sed (open hole)			
SCREEN OR PERFOR			and Cost III	.:11 - 4 TT-1	□ O4h == (S===:E-)		
Continuous Slot	☐ Mill Slot ☐ Key Punched ☐		w Cut \B\			•••••	
SCREEN-PERFORATE	ED INTERVALS: Fro	om 595 ft to 695	ft From	ft. to	ft From	ft. to ft.	
GRAVEL PAG	CK INTERVALS: Fro	om 0 ft. to 5	ft., From	30 ft. to		ft. to ft.	
9 GROUT MATERIA Grout Intervals: From	L: Neat cement	☐ Cement grout	ntonite 🔲 O	ther			
Grout Intervals: From	5ft. to30	ft., From	ft. to	ft., From	ft. to	ft.	
Nearest source of possible		Dia Dia		Livestock Pen		inida Stanona	
☐ Septic Tank☐ Sewer Lines	☐ Lateral Li ☐ Cess Pool		_	Livestock Pen: Fuel Storage		icide Storage Ioned Water Well	
☐ Watertight Sewer Lin				Fertilizer Stora		ell/Gas Well	
	thing.within 400!	······			_		
Direction from well?							
10 FROM TO		OGIC LOG	FROM	TO I	ITHO. LOG (cont.) o	or PLUGGING INTERVALS	
Attached Attached A	Attached						
			1				
			 				
				····			
	100		Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .10/11/2018 and this record is true to the best of my knowledge and belief.							
under my jurisdiction ar	na was completed on	(mo-day-year) . 19/.1.1/4	Y. I.Y and 1	inis record is	rue to the best of h	year) .10/22/20.18	
under the business name	e of Nash Water W	ell Service, LLC					
under the business name of Nash Water Well Service LLC. Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
KS Department of Health a	ınd Environment, Bureau o	f Water, Geology Section, 10	000 SW Jackson	St., Suite 420, T	opeka, Kansas 66612-13	367. Telephone 785-296-3565. KSA 82a-1212	
Visit us at http://www.kdhe	ks.gov/waterwell/index.htr	<u>ni</u>	.,			NOM 028-1212	

Ness Co. 30-175-23W NW NE SE NE

Form	WWC5	
Contractor	Nash Water Well Service, LLC	
Well Owner	Brent Schreiber	
Doc ID	1425134	

Litholgy

Litholgy		
0	20	TOP SOIL, WHITE ROCK,
		TAN WHITE CLAY
20	30	ROCK
30	40	YELLOW CLAY, TAN CLAY,
		FINE COARSE SAND STREAKS
40	180	BLUE CLAY
180	290	BLUE SLATE
290	330	GRAY CLAY, WITH SANDSTONE STREAKS
330	440	BLUE SHALE, ROCK LAYERS, WITH
		SANDSTONE STREAKS
440	490	BLUE CLAY
490	510	GRAY CLAY
510	520	GRAY SANDSTONE, WITH
		GRAY CLAY STREAKS
520	530	BROWN/RED CLAY AND
		TAN SANDSTONE
530	540	TAN SANDSTONE
540	550	GRAY SANDSTONE/GRAY CLAY
550	560	TAN/GRAY/RED CLAY WITH
		SANDSTONE STREAKS
560	615	GRAY CLAY/GRAY SANDSTONE

Ness Co. 30-175-23W NW NE SE NE

Form	WWC5	
Contractor	Nash Water Well Service, LLC	
Well Owner	Brent Schreiber	
Doc ID	1425134	

Litholgy

615		GRAY SANDSTONE/GRAY CLAY
670	700	GRAY SANDSTONE