WATER WELL RECORD (WWC-5)

Constructed

KOLAR DOCID	1642911	WELL ID	
Original Record [Correction	☐ Change in Well Us	6

ı	CA	TIO	N OF	WA	TED	WEI	ı

																
Latitude	38.557155	Longitude	-99.915428	Section	19	Township	17	Range	23	□E ✓ W Fraction	SE	1/4	NW	¼ S	W	1/4
Datum	WGS84	Elevation	2455	County	Ness											

WATER WELL OWNER

Name	Nick	Henn	ing
Business			
	416 S C	ourt Street	
Address	Ness City	KS 67	7560
Well location	200th & R Rd North, 1/8 Ea		n, 1/2
at owner's address			

CONSTRUCTION

Borehole interval:	Borehole diameter:						
from 0 to 680 ft.	9 in.						
fromtoft.	in.						
Casing height above land sur	rface: 18 in.						
If casing height is less the							
*variance not required fo							
or environmental remed	liation wells						
Casing type: Therr	nairiasuc na 620 c						
Blank casing interval:							
Blank casing diameter:	in. Splings						
Casing joints:	John Co.						
Weight: lbs	/n. SDP17						
Wall thickness or gauge	no.: SDR17						
	ft. toft.						
Blank casing diameter:	in.						
Casing joints:							
Weight: lbs							
wall inickness or gauge	Wall thickness or gauge no.:						
Grout interval: 5 ft. to							
Grout material: Ben	Grout material: Bentonite						
Grout interval:ft. toft.							
Grout material:							
Screen / perforation material:							
Screen / perforation opening							
Screen / perforation intervals							
From 620 ft. to 680							
Slot size 32 unit millimete							
Fromft. toft.							
Slot size unit _							
Gravel pack intervals:							
Gravel pack not used: 🔲 Gravel sizein							
From 0 ft. to 5 ft.							
Gravel pack not used: Gravel sizein							
From 60 ft. to 68	<u>0</u> ft.						
	· · · · · · · · · · · · · · · · · · ·						

VELL WATER USE	NEAREST SOURCE OF POTENTIAL CONTAMINATION
Domestic Livestock/Pasture	Source:
OMPLETION	Distance Direction from well:
Depth of completed well:	Source description:
(1) 545 ft.; (2) 570 ft.; (3) tt.; (4) dry well	Source: Distance Direction from well: from well:
Static water level in well: 340 ft. ✓ measured below land surface on (mm/dd/yy): 05/04/2022	Source description:
measured above land surface on (mm/dd/yy):	✓ No potential source of contamination within 100 feet.
Estimated yield: 30 gpm	PERMIT & ID NUMBERS (AS REQUIRED)
Water level was:ft. afterhours pumping gpm	DWR Application No.:KDHE / EPA Project Code:
Pump installed? ☐ Yes No	Site Name: KDHE UIC Class V Form Completed: ☐ Yes ☐ No
Water well disinfected? ✓ Yes □ No Date disinfected (mm/dd/yy): 05/04/2022	County Permit: Yes No Permit ID:
Aquifer, if known:	# of boreholes: # of dewatering wells:
THOLOGIC LOG	
FROM TO LITHOLOGY INTERVALS	

FROM	то	LITHOLOGY INTERVALS	
Attache	Attache	Attached	

COMMENTS

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed 🗸 reco	nstructed	pursuant to the stated water well
contractor's license and was completed on	05/04/2022	. I certify that this record is true to
the best of my knowledge and belief. This w	ater well recor	d was completed on
under the business name of	Nash Water	Well Service, LLC
Kansas Water Well Contractor's License No	. 846	under the authority of the designated
person as defined in K.A.R. 28-30-2(j) and	signed and cer	tified by the electronic signature of the
designated person at its submittal:	Trevor Nash	

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1642911			
Well Owner	Nick Henning			
Contractor	Nash Water Well Service, LLC			

Lithology

0	2	topsoil
2	15	,tan clay fine medium sand
15	60	,white clay and white rock
60	75	,white yellow clay with rock layers
75	120	blue shale and gray clay
120	520	shale,blue shale with rock layer
520	545	gray clay,
545	557	,tan sandstone
557	559	red gray clay
559	570	gray clay
570	580	sandstone,grayish,gray sandstone
580	585	,brown clay
585	600	gray clay
600	610	,blue clay
610	620	gray red clay
620	640	tight gray sandstone w blue, shale streaks
640	660	gray tanish sandstone with
660	680	,tan loose sandstone