		RECORD ☐ Correction		WWC-5 ge in Well Use		ision of Water ources App. N	1	Well ID
		WATER WE		Fraction		tion Number		
County:		WAILK WE	LL.	SW 1/4 SW 1/4 NW 1/2		18	T 17 S	R 24 □ E ☑ W
		: Last Name: Fla	ЭX	First: Pete		ral Address	where well is located	(if unknown, distance and
Business:					direction from	nearest town or	intersection): If at owne	r's address, check here:
Address: 14204 270 Rd Address:					From Intersection Hwy 4 & L Rd Go south on L Rd			
City:	Ranson	n	State: KS	ZIP: 67572			re 400' East	
3 LOCATE			H OF COM	1PLETED WELL:	580 ↔	5 T -414	38 5772	57 (decimal degrees)
WITH "X		Denth(s)	n Or CON Froundwater	Encountered: 1)	999 11 120 ft	Longi	tude: -100.028	3862 (decimal degrees)
SECTION N				3) ft., or 4)			ı: ☑ WGS 84 ☐ NA	
1		WELL'S S	STATIC WA	TER LEVEL:	81 _{ft.}	Source	for Latitude/Longitude	
			below land surface, measured on (mo-day-yr)			¹ □ G)
X - NW	NE		above land surface, measured on (mo-day-yr) Pump test data: Well water was				(WAAS enabled?	
w	-		after hours pumping gpm				and Survey Topogr	арпіс мар
	'		Well water was ft.					
SW	SE	after.	after hours pumping gp			6 Flove	tion: A	. Ground Level TOC
S		Estimated	Estimated Yield:20gpm Bore Hole Diameter:9.5in. to580					GPS Topographic Map
1 m		Bore Hole		in. to		3000		
7 WELL V	VATER '	TO BE USED						
1. Domestic:				ater Supply: well ID				ease
☐ Househ				ig: how many wells?.			Hole: well ID	·
☐ Lawn & Livestoe				echarge: well ID g: well ID			sed Uncased urermal: how many bore	
2. Irrigation				al Remediation: well I			osed Loop Horizon	
3. Feedlot				e ☐ Soil Vapor				ischarge Inj. of Water
4. ☐ Industri	al		☐ Recovery	☐ Injection		13. Other (specify):		
				itted to KDHE? \Box	Yes 🛮 No	If yes, date	sample was submitte	ed:
		ed? ✓ Yes □						
Casing diame	F CASIN	G USED: □	Steel PV 580	C Other	CASI	NG JOINTS	: Glued 🗹 Clampe	d Welded Threaded
Casing diame	t above lar	d surface	π., 18 ir	Diameter	. in. to lhs/ft	π., Diam Wall thick	neter	π. R17
TYPE OF S	CREEN	OR PERFORA	TION MA	TERIAL:				
☐ Steel		tainless Steel		∠ PVC			er (Specify)SCH8	0 from 480'-580'
☐ Brass		alvanized Steel ORATION OP	ENINGS A	□ None	used (open hole	e)		
Continu		Mill Slot			orch Cut D F	rilled Holes	☐ Other (Specify)	
		: ☐ Key Pun	ched W	/ire Wrapped	aw Cut \square N	None (Open H	ole)	
SCREEN-P	ERFORA	TED INTERV	/ALS: Fron	n .480 ft. to .580	ft., From .	ft. to	ft., From	ft. to ft.
□ Louvered Shutter □ Key Punched □ Wire Wrapped ☑ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From .480 ft. to .580 ft., From								
9 GROUT MATERIAL: □ Neat cement □ Cement grout □ Bentonite □ Other □ Other								
Negrest sour	lls: From	ible contemine	tion. N	ft., From potential source of co	. ft. to	ft., From	ft. to	ft.
☐ Septic T	ce of poss		Lateral Line			ının 200 ft. Livestock Per	ns □ Insecti	cide Storage
☐ Sewer L			Cess Pool	☐ Sewage L	agoon 🔲	Fuel Storage	Mand	oned Water Well
☐ Watertig	ght Sewer	Lines	Seepage Pit	☐ Feedvard		Fertilizer Sto	rage □ Oil We	ell/Gas Well
Uther (S	Specify)	 Vest	••••••	Distance for	200		ft	
10 FROM	TO	T	LITHOLO	GIC LOG	FROM	ТО	π LITHO LOG (cont.) o	r PLUGGING INTERVALS
			<u> </u>	310 200	T KOW	10	Elitio. Log (cont.) o.	TECCONO INTERVALS
					Notes:			
					Hotes:			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo-day-year) .10/26/2021 and this record is true to the best of my knowledge and belief.								
under my ju	risdiction	and was com	pleted on (n	no-day-year) .10/26/ 346 This ye	2021 and	this record i	s true to the best of m	y knowledge and belief. rear) .11/05/2021
under the hi	isiness na	ime of Nash	Water Wel	I Service, LLC	alci well Ke	ora was con	inpresed on (ino-day-y	ear) .1.00.90202.0
	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment Burgau of Water Geology Section 1000 SW Jackson St. Suite 420. Topeka, Kansas 66612-1367. Telephone 785-296-3565.							

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Pete Flax
Doc ID	1598152

Lithology

Littiology		
From	То	LithologicLog
0	15	TOP SOIL, FINE COARSE SAND
15	27	BROWN CLAY & FINE SAND
27	31	ROCK LAYER
31	35	WHITE CLAY & CALICHE WITH FINE SAND STREAKS
35	41	WHITE TAN GRAY CLAY STREAKS
41	320	BLUE SHALE
320	400	BLUE SHALE & ROCK LAYERS LITTLE WATER PRODUCTION
400	450	BLUE SHALE
450	470	GRAY CLAY
470	500	GRAY TIGHT SANDSTONE WITH GRAY CLAY 40%
500	520	GRAY TIGHT SANDSTONE WITH GRAY CLAY 50%
520	555	GRAY TIGHT SANDSTONE
		WITH GRAY CLAY
555	560	GRAY SANDSTONE 90%
560	580	GRAY SANDSTONE GRAY CLAY 75%
580	600	BLUE GRAY CLAY & SHALE
	•	