								<u></u>		RI		
1 LOCATIO	ON OF WAT	TER WELL:	Fraction		ELL RECOR	RD For	m WWC-	5 KSA 8 ction Numb	32a-1212 Jer Towns	hip Number	Range N	Number -
County:	Lan		SE	<sub>1/4</sub> SE	1/4	NM	1/4	27		7 s	R 29	EAN
		from nearest to				located w			<u>-</u>	, ,	1 11 ->	
		5-N.	2-W.	of De	ighton	. Ks.						
2 WATER	R WELL OW	<sub>/NER:</sub> Laur	ence Ri	chard	8	,						
	Address, Box	v # ·	FD	- 670	<b>7</b> 0				Boar	d of Agriculture,	Division of Wat	ter Resources
	, ZIP Code	<i>:</i>	ten, Ka						Appli	cation Number:	T88-450	
LOCATE	WELL'S LO	OCATION WITH	4 DEPTH	OF COMP	LETED WE	LL. 142	) · <i>.</i>	ft. ELE	VATION:			
- AN X	IN SECTION	N BOX:									3	
ī [		1	WELL'S S	TATIC WAT	TER LEVEL	89	) ft. t	pelow land	surface measur	ed on mo/day/y	r	
	- NW	NE	1	Pump test	data: Wel	ll water wa	as	ft.	. after	hours p	umping	gpm
	1 -	1	Est. Yield		gpm: Wel	ll water wa	as	ft.	. after	hours p	umping	gpm
* w -	ı x		Bore Hole	Diameter.	9 i				., and	i	n. to	<b></b>
₹ "	!	! ]	WELL WA	TER TO BE	E USED AS			er supply	8 Air conditi	•	Injection well	
Ī L	- sw	SE	1 Don	nestic	3 Feedlot	K	Dil field wa	ater supply	9 Dewaterin	ıg 12	Other (Specify	below)
1	T I	ī	2 Irrig		4 Industria					-		
Į L			1	mical/bacte	riological sa	mple subr	nitted to D	epartment?	YesN	oX; If ye	s, mo/day/yr san	
<u>-</u>	S	<u> </u>	mitted						Nater Well Disi		No	
	-	CASING USED:			Vrought iron		8 Concr				ed . <b>X</b> Clam	• .
1 Ste		3 RMP (S 4 ABS	эн)		Asbestos-Cei			(specify be	,		ded	
			in to 11		iberglass # Dia		in to		# Dia	Inre	eaded . in. to	
											. in. to No	
					weight		<b>37</b> PV			Asbestos-cen		
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fibergla								MP (SR)			/)	
2 Bra			6 Concrete tile 9 AB									
SCREEN (	OR PERFOR	RATION OPENII	NGS ARE:		5	Gauzed v	vrapped		8 Saw cut	•	11 None (op	en hole)
1 Co	ntinuous slo	t 3x1	Mill slot		6	Wire wrap	pped		9 Drilled h	oles		
2 Lou	uvered shutt	er 4 k	Key punched			Torch cut						
SCREEN-F	PERFORATE	ED INTERVALS:	From	. 1.12	ft.	to	142	ft., F	rom	ft.	to	ft.
			From		ft.	to		ft., F	rom	ft.	to	ft.
G	RAVEL PA	CK INTERVALS	: From	20.						ft.	to	
-1		Ψ	From					ft., F			to	
_	MATERIAL	.: X₁ Neat	cement	2 Ce	ement grout		3 Bento	onite	4 Other		ft. to	
Grout Inter					π., From .		π.					
What is the nearest source of possible contamination								10 Livestock pens 14 Abandoned wa				
1 Septic tank 4 Lateral lines				7 Pit privy				11 Fuel storage 15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below)				
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit					8 Sewage lagoon 9 Feedyard			12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage none				elow)
Direction fr	•	er iii es 0 0ee		3 i eeuy	aiu			nany feet?	,			
FROM	TO		LITHOLO	OGIC LOG			FROM	TO	liany leet:	PLUGGING	INTERVALS	
0	3	Top soi										
3	95 130	clay-	· limes	tone								
95		gravel										
130	142	clay-	shale									
					<del></del>			ļ				
			**					-	-			
								<u> </u>	-			
	-							<u> </u>				
								<u> </u>			•	
								<u> </u>		-		
T	i i							1	1			
											nder my jurisdict	
completed	on (mo/day/	year) 头ᆕ .	1.ン <del>.</del> .ひひ					and this re	cord is true to t	he best of my k	nowledge and be	elief. Kansas
water Well	Contractor's	s License No. me of Sam's	Watan	וובעש.	This Wa	ater Well I	Record wa				a	
									nature)		xum	·
		pewriter or ball point									cordies to Kansas De	epartment