			WAT	ER WELL RECORD	Form WWC-5	KSA 82	a-1212		
LOCATION			Fraction			ction Number			Range Number
County: M	crher	son		4 C 1/4 SW	1/4	7	<u> </u>	S	R 3 x£2 ₹₩ ₩
			of Lindsbo	address of well if located	d within city?				
			DaMac Dr						
WATER V			Box 1164	IIIIng			Doord of Am	dauthura C	Nivinian of Mater Beauty
RR#, St. Add	•	(#:		nd Vo. 67520	1		•	-	Division of Water Resources
City, State, Z				nd, Ks. 67530					186-187
AN "X" IN	SECTION	N BOX:							
ī	!	ı.	WELL'S STATI	C WATER LEVEL	ft. t	elow land su	ırface measured on r	no/day/yr	
	NW	NE	Pun	np test data: Well wate	rwas	ft. a	after	hours pur	nping gpm
	1		Est. Yield	gpm: Well wate	rwas	ft. a	after	hours pur	nping gpm
_≝ w ⊢	İ		Bore Hole Dian	neterin. to			and	in.	to
\[\times \times \]	!	i i	WELL WATER	TO BE USED AS:	5 Public water	er supply	8 Air conditioning	11	njection well Other (Specify below)
ī	V	- "	1 Domestic	^	6 Oil field wa	ter supply	9 Dewatering	12 (Other (Specify below)
	小	31 -	2 Irrigation	4 Industijal	7 Lawn and	garden only	10 Observation well		
. L	i	1	Was a chemica	I/bacteriological sample s	pmitted to D	epartment? \	/esNo	; If yes,	mo/day/yr sample was sub-
	\$		mitted			W	ater Well Disinfected	? Yes	No
TYPE OF	BLANK C	ASING USE	D:	5 Wrought inon	8 Concr	ete tile	CASING JOIN	TS: Glued	No Clamped
1 Steel		3 RMP	(SR)	6 Asbestos-Cement	9 Other	(specify belo	w)	Welde	od
2 PVC		4 ABS		7 Fiberglass				Threa	ded
Blank casing	diameter		in. to	ft., Dia	in. to		ft., Dia	<i></i> i	n. to ft.
Casing heigh	t above la	ınd surface	<i></i>	\n., weight		Ibs	./ft. Wall thickness or	gauge No)
TYPE OF SC	REEN O	R PERFORAT	TION MATERIAL: \		7 PV	C	10 Asbe	stos-ceme	nt
1 Steel		3 Stain	less steel	5 Fiberglass	8 RM	MP (SR)	11 Other	(specify)	
2 Brass	3	4 Galva	anized steel	Concrete tile	9 AE	s		used (ope	
SCREEN OR	PERFOR	RATION OPE	NINGS ARE:	5 Gauze	ed wrapped		8 Saw cut	• •	11 None (open hole)
	nuous slo		3 Mill slot	$N \cup N$	wrapped		9 Drilled holes		(
	ered shutt		Key punched	7 Torch	• •				
		ED INTERVAL	• •	11		ft Fro	· · · · · · · · · · · · · · · · · · ·		o
SOMEEN-1 E	i ii Oi Daic	LD INVICIONAL		()		•			o
GR	AVEL PA	CK INTERVA				•)
Gr.	AVELIA	OK HATEITA	From	ft. to		ft., Fro			· 1
6 GROUT N	ATERIAL	· 1 No	pat cement	2 Cement grout	3 Bento				
Grout Interva			# 40						. ft. to
			ble contamination				stock pens		pandoned water well
1 Septie		•	*	7 Pit privy			storage		
2 Sewe		5.0	ateral lines	8 Sewage lage	200		ilizer storage		
		erlines 6 S	1 1	9 Feedyard	3011		cticide storage .		```
	_	er imes o s	eelbade hir	9 Feedyard			•	• • • • • • •	
Direction from FROM	TO TO		LITHOLOGIC	2106	FROM	TO How ma	any feet?	ITHOLOG	IC LOG
				LOG	111011	 		IIIIOLOG	o tod
- 1	6	Top so		· · · · · · · · · · · · · · · · · · ·					
	10	White	clay			ł			
	15	Shale							
15	60	Shale	and red be	ed mixed		-		 	
<u> </u>					-	 	***		
				·	-	-			
								.	
			plugged	hole with we	11 cut	ings	nd gravel	nack	
					7	1	914701		
CONTRA	CTOP'S (JB I ANDONA	NER'S CERTIFICA	TION: This water well w	as (1) constri	icted (2) rec	onetricted or (2) all	innedd	er my jurisdiction and was
									owledge and belief. Kansas
					THI THECOIG W	•		and the same of th	
			sencrantz-	ESS FIRMLY and PRINT clea	arke Diagna 400 to	Dy (sign	ature) 3nd	w L	dana
Department	of Health ar	d Environment,	Office of Oil Field and E	Environmental Geology, Regu	lation and Permi	tting Section, To	opeka, Kansas 66620-75	oo, Telephe	ne: 913-862-9360. Send one