


1 LOCATION OF WATER WELL: Fraction NW 1/4 NW 1/4 NE 1/4 Section Number 35 Township Number T 17 S Range Number R 3  W  
 County: McPherson  
 Distance and direction from nearest town or city street address of well if located within city?

2 miles South & 2 3/4 Miles East of Lindsborg

2 WATER WELL OWNER: Calvin Carlson Board of Agriculture, Division of Water Resources  
 RR#, St. Address, Box #: Rt 2 Application Number:  
 City, State, ZIP Code: Lindsborg, KS 67456

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 77 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 35 ft. 2. 10-14-91 ft. 3. 91 ft.  
 WELL'S STATIC WATER LEVEL 35 ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was 5 ft. after 1 hours pumping 5 gpm  
 Est. Yield 5 gpm: Well water was 67 ft. after 1 hours pumping 5 gpm  
 Bore Hole Diameter 8 in. to 77 ft., and 77 in. to 91 ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic 5 Public water supply 8 Air conditioning 11 Injection well  
 2 Irrigation 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes No  No; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 7 Fiberglass Threaded  
 Blank casing diameter 5 in. to 57 ft., Dia. 57 in. to 91 ft., Dia. 91 in. to 91 ft.  
 Casing height above land surface 12 in., weight 2.37 lbs./ft. Wall thickness or gauge No. 214  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)  
 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 57 ft. to 77 ft., From 77 ft. to 91 ft.  
 GRAVEL PACK INTERVALS: From 25 ft. to 77 ft., From 77 ft. to 91 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 5 ft. to 25 ft., From 25 ft. to 77 ft., From 77 ft. to 91 ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? West How many feet? 150 ft

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Top Soil			
2	27	Green Shale			
27	66	Gray Shale			
66	75	Red Shale			
75	77	Green Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-14-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 10-16-91 under the business name of Peterson Irrigation, Inc. by (signature) Mike Peterson