WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		Section Numb		Range Number	
County: McPherson		1/4 NE 1/4 SE		8	T 17 S	R 3 □E ▼W	
Street/Rural Add	f unknown, distance	Global Position	ning System (GPS)	information:			
from nearest town or intersection: If at owner's address, check here \(\overline{\chi} \).				Latitude: (in decimal degrees)			
204 W. Columbus, Lindsborg, KS				Longitude: (in decimal degrees)			
				Elevation:			
2 WATER WELL OWNER: Ron & Carla Wilson				→ Datum: → We We Output Datum: → We Output Datum: Datum: → We Output Datum: Da	GS 84, 🗌 NAD 83, 🛚	☐ NAD 27	
RR#, Street Address, Box #: 204 W. Columbus				Collection Method:			
at a t				☐ GPS unit (Make/Model:			
	ndsborg, KS 674	:56	Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m				
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
SECTION BOX:	- 'P(-) (2)						
N	WELL'S STATIC WATER LEVEL16ft. below land surface measured on mo/day/yr.6/3/.11						
	Pump test data: Well water wasft. after hours pumpingg						
NW NE	EST. YIELD. 25gpm. Well water wasft. after hours pumping						
W							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
□ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below)							
I I I I I I I I I I I I I I I I I I I							
Was a chemical/bacteriological sample submitted to Department? Yes X No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? X Yes No							
5 TYPE OF CASING USED: Steel X PVC Other							
CASING JOINTS: K Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface12							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From63							
From							
GRAVEL PACK INTERVALS: From20							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well							
Direction from w					በስັ f+		
FROM TO	LITHOLOG		FROM			UGGING INTERVALS	
	Popsoil		* 110141	10 Lilli	100 (00III.) 01 1 L	COULOHILLKAND	
	Clay, gray						
	Sand, fine				WOOTH COLOR OF THE		
	Shale, green						
75 00 0	ARTE, GECCH						
					· · · · · · · · · · · · · · · · · · ·		
					· · · · · · · · · · · · · · · · · · ·		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year)6/3./11 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo/day/year) 46/8/11							
under the business name of .Peterson Irrigation, Inc. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							
LANCE VALUE LANCE							