WATER WELL RECORD		Form WWC-5		Division of Wa	ter Resources App. N	o	
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number	
County: McPHerson		1/4 NW 1/4 SW 1/4 SW 1/4		8	T 17 S		
		ddress of Well Location; i	L			ng System (GPS) in	
from	nearest t	own or intersection: If at o	owner's address, check here .		Latitude: (in decimal degrees)		
536 Garfield, Lindsborg, KS					Longitude: (in decimal degrees)		
		-			Elevation:	<u></u> <u></u>	••••
2 33/4	TED WI	ELL OWNER:	Milton Larson			84, 🔲 NAD 83, 🗀] NAD 27
1			3016 S. Ashley		Collection Method		`
				016 S. Ashley ☐ GPS unit (Make/Model:			
City,	, Suite, Z	ii couc .	ballia, its 0/40	•	Est. Accuracy:	<3 m, ☐ 3-5 m, ☐	5-15 m,
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 200 x 6 holes ft.							
WITE	H AN "X						
SECT		ION BOX: Depth(s) Groundwater Encountered (1)					
N WELL'S STATIC WATER LEVEL45ft. below land surface measured on mo/day/yr10/5/							
	- I		test data: Well water was				
"- NW NE D II-1- D'-			/agpm. Well water wasft. after				
W			TO BE USED AS: Public water supply Geothermal Injection well				
		Domestic	Feedlot Oil field water supply Dewatering Other (Specify below				Other (Specify helow)
	Irrigation Industrial Domestic-lawn & garden Monitoring well						
			bacteriological sample				
	S		day/yr sample was submitted				
	1 mile		fected? Yes K				
5 TYPE OF CASING USED: Steel PVC A Other Polyethyleneloops, 6 holes at 200 each							
CASING JOINTS: X Glued Clamped Welded Threaded							
Casing diameter 3/4 in to 200 x f6, Diameter in to ft., Diameter in to ft.							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to							
GRAVEL PACK INTERVALS: From							to ft.
From							
6 GROUT MATERIAL: Neat cement Cement grout A Bentonite Other							
Grout Intervals: From ft. to ft. from ft. fr							
What is the nearest source of possible contamination: Septic tank							
Sewer lines							ier (speerly below)
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well							
		n well	····		from well		
FROM	ТО	LITHOLOG	IC LOG	FROM	TO LITHO. I	LOG (cont.) <u>or</u> PLU	JGGING INTERVALS
0	3	Topsoil					
3	38	Shale, gray					
38	78	Shale, red & gray					
78	80	Shale, fractured					
80	96	Shale, gray w/gyps	sum	+			· · · · · · · · · · · · · · · · · · ·
96	97	Shale, fractured					
97	200	Shale, gray & red	w/gypsuiii	-			
	 			+			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\overline{\mathbb{V}}\) constructed \(\overline{\mathbb{D}}\) reconstructed or \(\overline{\mathbb{D}}\) nlugged							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was \(\overline{\mathbb{N}} \) constructed, \(\overline{\mathbb{D}} \) reconstructed, or \(\overline{\mathbb{D}} \) plugged under my jurisdiction and was completed on \(\text{mod/day/year} \)							
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (190/day Jegr) 10/26/12							
under the business name of .Peterson Irrigation, .Inc. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							