1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	Resources 013gpi below)below)
Distance and direction from nearest town or city street address of well if located within city?  321 E. Lincoln St., Lindsborg  2 WATER WELL OWNER Mid Kansas Coop Association  RR#, St. Address, Box # 321 E. Lincoln Street  City, State, ZIP Code	Resources  013  gpi below)  nole was
321 E. Lincoln St., Lindsborg  2 WATER WELL OWNER. Mid Kansas Coop Association  RR#, St. Address, Box # 321 E. Lincoln Street  City. State, ZIP Code Lindsborg, Kansas 67456  Application Number:  3 LOCATE WELL'S LOCATION  WITH AN "X" IN SECTION BOX  N  WELL'S STATIC WATER LEVEL 35 ft. ELEVATION:  Depth(s) Groundwater Encountered 1 ft. 2 ft. 3.  WELL'S STATIC WATER LEVEL 24.5 ft. below land surface measured on mo/day/yr 4/8/2/  Pump test data: Well water was NA ft. after hours pumping  Bore Hole Diameter 8. in. to 35 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 12 Other (Specify 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring wall was a chemical/bacteriological sample submitted to Department? Yes	o13 gpi below)
RR#, St. Address, Box # 321 E. Lincoln Street  City, State, ZIP Code : Lindsborg, Kansas 67456  3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX N  WITH AN "X" IN SECTION BOX N  WELL'S STATIC WATER LEVEL . 24.5 . ft. below land surface measured on mo/day/yr . 4/8/20 Pump test data: Well water was . NA. ft. after . hours pumping  Bore Hole Diameter . 8. in. to35 . ft., and in. to	o13 gpi below)
City, State, ZIP Code  Lindsborg, Kansas 67456  3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: NOTE: The continuous slot  Application Number:  4 DEPTH OF COMPLETED WELL  5 STATIC WATER LEVEL  24.5  The Levation:  5 Ft. ELEVATION:  Depth(s) Groundwater Encountered  1 ft. 2  1 ft. 3  WELL'S STATIC WATER LEVEL  24.5  The below land surface measured on mo/day/yr  4/8/20  Pump test data: Well water was  NA. ft. after  hours pumping  Est. Yield  NA. gpm: Well water was  The and  in. to  35  The and  in. to  WELL WATER TO BE USED AS: 5 Public water supply  Bore Hole Diameter  8 in. to  35  Type OF BLANK CASING USED:  5 Wrought iron  8 Concrete tile  CASING JOINTS: Glued  Casing height above land surface  in. to  15  Type OF SCREEN OR PERFORATION MATERIAL  1 Steel  3 Stainless steel  5 Fiberglass  7 Fiberglass  8 RMP (SR)  1 Other (specify)  2 Brass  4 Galvanized steel  6 Concrete tile  9 ABS  12 None used (open hole)  8 Sex cut  11 None (open tole)  12 Depth (S) Groundwater Encountered  1 Continuous slot  3 Mill slot  6 Wire wrapped  9 Drilled holes  1 Continuous slot  2 Louvered shutter  4 Depth OF COMPLETED WELL  3 Stainless steel  5 Fiberglass  6 Gwell attains water was  1 Depth (S) Groundwater Encountered  1 Cantinuous slot  3 Mill slot  6 Wire wrapped  9 Drilled holes  1 Continuous slot  2 Louvered shutter  4 Depth OF COMPLETED WELL  3 Stainless steel  5 Gauzed wrapped  9 Drilled holes  1 Continuous slot  2 Louvered shutter  4 Depth OF COMPLETED WELL  3 Stainless steel  5 Fiberglass  6 Wire wrapped  9 Drilled holes  1 Continuous slot  1 Other (specify)  10 Other (specify)  10 Other (specify)  10 Other (specify)  10 Other (specify)	o13 gpi below)
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  NUTH An "X" IN SECTION IN IN SECTION BOX:  NUTH AN "X" IN SECTION IN MATERIAL  1 Steel 3 Stainless steel 5 Fiberglass  NA ft after hours pumping  Later A fafter hours pumping  NA ft after	below)
WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered 1. ft. 2. ft. 3.  WELL'S STATIC WATER LEVEL 24.5. ft. below land surface measured on mo/day/yr 4/8/2/8 Pump test data: Well water was NA ft. after hours pumping Bore Hole Diameter 8. in. to 35 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify) 2 Irrigation 4 Industrial 7 Lawn and garden only Water Well Disinfected? Yes No if yes, mo/day/yr sam water well Disinfected? Yes No if yes, mo/day/yr sam water Well Disinfected? Yes No Welded Clamp 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded T	below)
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3.   WELL'S STATIC WATER LEVEL 24.5. ft. below land surface measured on mo/day/yr 4/8/20   Pump test data: Well water was NA. ft. after hours pumping Bore Hole Diameter 8. in. to 35 ft. and in. to well water NB bore Hole Diameter 8. in. to 35 ft. and in. to well Was a chemical/bacteriological sample submitted to Department? Yes No	below)
WELL'S STATIC WATER LEVEL 24.5 ft. below land surface measured on mo/day/yr 4/8/2/  Pump test data: Well water was NA ft. after hours pumping  Est. Yield NA gpm: Well water was nt. after hours pumping  Bore Hole Diameter 8 in. to 35 ft, and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify 2 Irrigation 4 Industrial 7 Lawn and garden only Water Well Disinfectero? Yes No if yes, mo/day/yr sam was a chemical/bacteriological sample submitted to Department Yes No if yes, mo/day/yr sam was a chemical/bacteriological sample submitted to Department Yes	below)
Est. Yield NA. gpm: Well water was ft. after hours pumping in. to	below) nole was
Est Yield . N.A	below) nole was
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify) 2 Irrigation 4 Industrial 7 Lawn and garden only Water Well Disinfected? Yes Now submitted to Department? Yes Now if If yes, mo/day/yr sam Water Well Disinfected? Yes Now Water Well Disinfected? Yes Now Submitted 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Melant Mark Casing diameter 2 in to 15 ft, Dia in to ft, Dia in to Casing height above land surface in weight 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION MATERIAL 1 Steel 3 Stainless steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open 12 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	below)  nole was  ped
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? YesNo ✓ .; If yes, mo/day/yr sam Water Well Disinfected? Yes No water Well Disinfec	nole was
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring wall Was a chemical/bacteriological sample submitted to Department? YesNo if yes, mo/day/yr sam Water Well Disinfected? Yes No water Well Disinfected. Yes No water Well Disinfect	nole was
Was a chemical/bacteriological sample submitted to Department? YesNo ; If yes, mo/day/yr sam submitted water Well Disinfectee? Yes No submitted water	nole was ced
S submitted Water Well Disinfected? Yes No S TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued	ved
TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  2 PVC 4 ABS 7 Fiberglass Threaded. ✓  Blank casing diameter 2 in. to 15 ft., Dia in. to ft., Dia in. to  Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No Sch., TYPE OF SCREEN OR PERFORATION MATERIAL  1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open 12 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 11 Other (specify) 11 None (open 13 None (open 14 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 11 Other (specify) 11 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 11 Other (specify) 12 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 11 Other (specify) 12 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 11 Other (specify) 12 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 12 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 13 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 14 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 15 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 15 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 15 None (open 15 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 15 None (open 15 Continuous slot 2 Continuous slot 3 Mill slot 3 Continuous slot 3 Mill slot 3 Continuous slot	ped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC	
2 PVC	
Blank casing diameter	
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No	f
TYPE OF SCREEN OR PERFORATION MATERIAL  1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	40
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	n hole)
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 15 # to 35 # From # to	
From	
GRAVEL PACK INTERVALS: From	
From	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete	
Grout Intervals: From	
What is the nearest source of possible contamination:  10 Livestock pens  14 Abandoned water	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	WCII
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify bel	loud)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	iow)
Direction from well?  How many feet? 0	
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 0.25 Concrete,	
0.25 1 Clay, silty, Dark Gray-Brown	
1 3 Clay, silty, Lt. Gray	
3 13 Clay, silty, w/some limestone chips, Gray-Bro	
13 25 Clay, silty, Gray-Brown	
25 35 No return off augers,	
25 55 No leturn on augers,	
MW2R, Flushmount	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction	
and was completed on (mo/day/year)	
and was completed on (mo/day/year)	belief.
	belief.