WATE	R WE	LL RECORD	Form W	WC-5	Di	vision of Water	r Resources App. N	o. L	
	LOCATION OF WATER WELL: County: McPherson		Fraction NW ¼ NW ¼ SE	¼ SW ½	Section	on Number 17		Range Number R 3 □E ☑W	
	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
	from nearest town or intersection: If at owner's address, check here .					Latitude: .38.569021 (in decimal degrees)			
	407 S. Chestnut Lindsborg, Ks					Longitude: 97.680310 (in decimal degrees)			
401	407 S. Offestifut Efficiabolig, No					Elevation: 1343			
A WARRAN WAY A CHANGE						<u>Datum</u> : ☐ WGS 84, ☑ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Justin Hansen						Collection Method:			
RR#, Street Address, Box #: PO Box 332						GPS unit (Make/Model:)			
City,	, State, 2	ZIP Code : Lindsbor	ra, Ks. 67456		_ U]	Digital Map/Ph	oto, 🔲 Topographi	c Map, Land Survey	
					Est. A	ccuracy: [] <	3 m, ∐ 3-5 m, ∐	5-15 m, □ >15 m	
3 LOC			COMDITTED WELL	57		Δ.			
1	ITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
SECI	Depth(s) Groundwater Encountered (1)								
1	Pump test data: Well water was								
W	E Bore Hole Diameter9in. to60ft., andin. toft.								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
SV	SW - SE - Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well								
	Was a chemical/bacteriological sample submitted to Department? Yes V No								
	S If yes, mo/day/yr sample was submitted								
	1 mic	Water well disin							
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: M Glued Clamped Welded Threaded									
Casing diameter 5									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From 20 ft. to 57 ft., From ft. to								to ft.	
From									
6 GROUT MATERIAL: Neat cement Cement grout 7 Bentonite Other									
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
Septic tank									
	Sewer lin			Fuel storag		Abandoned			
Diroc	waterug	ht sewer lines 🏻 Seepage pi n well . East	t ☐ Feedyard [Fertilizer s		Oil well/gas			
	TO		CLOC			:II 1.00.+.ft.			
FROM		LITHOLOGI	CLOG	FROM	TO	LITHO, LO	OG (cont.) or PLU	GGING INTERVALS	
0	1	Topsoil							
	42	Clay, brown							
42	60	Gravel, coarse							

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .3/3/20.15 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No									
under the	husine	ss name of Peterson Mc	Nett Drillina. Inc	ator WEILK	hir /a	ionatura)	on (mo/day/year)		
INSTRUC	TIONS	Use typewriter or ball point pen.	PLEASE PRESS FIRMLY	and PRINT of	early Plea	se fill in blank	and check the correct	provers Condona comit-	
]	Kansas De	partment of Health and Environm	ent, Bureau of Water, Geole	ogy Section, 10	000 SW Ja	ackson St., Suite	420. Topeka, Kansas	66612-1367	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									

http://www.kdheks.gov/waterwell/index.html