USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County Ganl	Fraction SW N/4	NW 1/4	Section	number 3	Township number	Range number	E/W
2. Distance and direc	ction from nearest town or city:	C	1	or of well	· u	agne Oa	il.	
2. Distance and direction from nearest town or city: 55 Street address of well location if in city: 1 W Healty City, state, zip code:						Healy Ka	261850	
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia.		
					ŀ	Well depth 128 ft. 7 Cable tool XRotary	Driven Dug	
1 .w	NE	als C 1 1	Principal and a service of the servi			Hollow rod Jetted		e rotary
w		burd Stopl				8. Use: Domestic P	· · · · · · · · · · · · · · · · · · ·	' 1
"	1	lura stope				Lown C	ir conditioning 🔏 Stoc oil field water 💹 Oth	ner
SW	SE	U				9. Casing: Material PLI Threaded Welded 200		low :_
<u> </u>						RMPPVC	Weight	lbs./ft.
1 M						Dia in. to ft. dep Dia in. to ft. dep		bes or
5. Type and color of	material			From	То	10. Screen: Manyfacturer's	name	
Topsul				X	1	Type	Dia. 5	
8 1	3/40 BB	* ************************************	n rethermolyphicals are 2000.	Log	3	Slot/gauze	Length	
a A	man of the state o	And the second of the contract		ا تد	10	Set betweenft.	_11. and	ft.
clais.	Annual Control of the		1 1	3 5⊌3	10	Gravel pack? Size re		
rock.				18.	28	11. Static water level: 11. Static water level: 11. Static water level: 12. Static water level:		/day/yr.
Sandye	lay,	dens the article and washing the second seco		28	38	12. Pumping level below lan	d surfaces:	
J. 8	and oplan	The state of the s		380	49	ft. after		g.p.m.
0	0	3.04 M. A.	<u> </u>	.10	15	Estimated maximum yield	250	.g.p.m.
turi X	andi		-13	4 / C	65	13. Water sample submitted: Yes X No	Date	/day/yr.
Sandr	weh.			63	70	14. Well head completion:	1 1 1	
clean	Sund			20	129	15. Well grouted?	Inches above g	rode
8 - 1 1	tone			127	128	With:Negt cement	BentoniteX_C	oncrete _
ON RO				128		Depth: From 7/5 ft. to		
shall.				10		ft Direction	Jybe —	
	11 = 111					Well disinfected upon compl 17. Pump:	etion? Yes	N₀
						Manufacturer's name	ntos	. <u>230</u> ~
						Model number	V 1 F.Z	g.p.m.
						Type: Submersible	Turbine	
· · · · · · · · · · · · · · · · · · ·						Jet	Reciproc	cating
10 El		heet if needed)				Centrifugal 20. Water well contractor's	Other	*
18. Elevation:	19. Remarks:					20. Water well contractor's This well was drilled under r		report
Topography:						is true to the best of my kno	wledge and belief. コー・コー・コー・コー・コー・コー・コー・コー・コー・コー・コー・コー・コー・コ	24
Hill						Business name	A face Lice	nse No.
Slope Upland						Address Vi Quie P	Burn 1	111/1/2
Valley						Signed Vi Authorized re	presentative Date	,