## USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## MANNING

1	7	3	1	W	Z	5	B			
1		İ	₹ .	EW		50C	1/4	1/4	1/4	No.

WATER WELL RECORD KSA 82a-1201-1215 Kansas State Dept. Of Health (Water Well Contractors) Forbes–Bldg. 740 Topeka, Kansaş 66620

	County	Township name	Fraction		Section	n number		Town number	Range number	
1 Location of well:	Scott	Keyston	NE- N/W	2"		25		17	31	
Distance and directi	on from nearest town or cit	3		3 Owner	of well	. Al	.vin	Rodenberg	<del>'                                    </del>	
Street address of well	Addre				cott City, KS					
Locate with "X" in s	ection below:	Sketch map:	-					l depth: <u>165</u> ft. D I diameter <u>9</u> in.	ate of completion = 6-7	
	X			,				Cable tool X Rotary [	Driven Dug  Bored Reverse rotary	
w				6 Use: X Domestic Public supply Industry Irrigation Air conditioning Commercial						
				7 Casing: Material Plas Height: above/below						
				Threaded   Welded   Surface 12 in.  Diam.   Weight 18 lbs./ft.						
				5 in. to 145 ft. depth Drive shoe? Yes X No						
2	Тур	e and color of material			From	То	8 Scre	_ in. to ft. depth		
Clay					0	22	Mar Typ	nufacturer <u>Jess &amp;</u> e <u>Plastic</u> D	Lowell 5	
Sd fine	•				22	28	Slot/gauze Length Set between 145 ft. and 165 ft			
							Fitt	ings:	· · · · · · · · · · · · · · · · · · ·	
Clay					29	39		vel pack XYes No.	ize range of materia#	
Сур					39	52	9 Static water level: 90 ft. below land surface Date 6-6-75			
Fine sd	clay	4			52	68	10 Pumping level below land surfaces:  100 ft. after hrs. pumping g.p.m.  ft. after hrs. pumping g.p.m.  Estimated maximum yield g.p.m.			
Sd coars	е				68	83				
Clay					83	90	11 Water sample submitted:			
Fine sd	clay				90	97	12 Well head completion:			
Sd rock					97	99	Pitless adapter Inches above grade			
Fine sd	clav				99	118	_ <b>∑</b> }:	l grouted? ☑ Yes Neat cement ☐ Bentonit th: From ☐ ft. to _		
Fine sd					118	159	14 Nec	arest source of passible con	773 4	
Sd coarse	9				159	164	ft.		Type	
Clay yel		164		15 Pum	Not installed					
oray jer.	BRUCK	(164'			104	165	Mod	nufacturer's name <u>Red</u> del number <u>50N1</u> H gth of drop pipe <u>163</u> fi	P = Volta 10 . capacity 10 g.m.p.	
	,,,,,						Тур	e: _		
	luse	a second sheet if needed)						Submersible  Jet  Certrifugal	Turbine Reciprocating Other	
16 Remarks: elevati	ion	1					17 Wat	er well contractor's certifi	cation:	
	290	G (TOPO)						well was drilled under my art is true to the best of my		
Topagraphy:	- , •							eishaar Drill	ing 232	
☐ Hill☐ Slope							Busi	ness name	ity. KS 67871	
K Upland							Sign	Milly tis tiges	Dat 6-12-7	
Forward the white, bl	ue and pink copies to the I	Cansas State Dept. Of Hea	ith.						Form WWC-5	