KOLAR Document ID: 1377413

WATER V		ECORD Correction		WWC-5				ion of Wate] Well II	⁻ [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					Resources App. No. Section Number Township Number					ge Number			
County: 1/4 1/4 1/4					Secti	T S R DE W							
·						Street or	t or Rural Address where well is located (if unknown, distance and						
Business:						direction fi	om ne	earest town of	r inte	rsection): If at owner	r's addres	s, cl	neck here:
Address:													
Address: City:			State:	ZIP:									
3 LOCATE	WELL				L								
WITH "X" IN SECTION POY. 4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)						ft.							
SECTION	N BOX:						(deelinal degrees)						
N					ft., or 4)[EL:								
							ft. Source for Latitude/Longitude: GPS (unit make/model:				,		
NW -	NF				on (mo-day								
		Pump test d	ata: Well w	ater was	ater was ft.						Survey Topographic Map		
w	 E	after		pumpinggpm				Online Mapper:					
SW	SE	-6			i								
	Ĩ l	Estimated Y		pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TOC				Level 🗌 TOC	
S		Bore Hole I			to	ft. and				Land Survey			
1 mi					to					Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:					: well ID					eld Water Supply: 16			
Househo					any wells?						•••		
☐ Lawn &			•	_									
Livestoc 2. Irrigation					tion: well II								
3. ☐ Feedlot	11] Air Sparge		Remediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. ☐ Industria	al		Recovery		Injection		13. Other (specify):						
Was a chem	ical/bacter	iological san	nple subm	itted to k	KDHE? 🗆	Yes □ N	No.			nple was submitte			
Water well d						100		11) 00, 000		iipie was saciiiice			
				C Othe	r	CA	SIN	G JOINTS	S: 🗆	Glued Clamped	d ☐ Wel	ded	☐ Threaded
										in. to			_
Casing height					ht	lbs	/ft.	Wall thick	kness	s or gauge No		••	
TYPE OF SO													
☐ Steel		less Steel	Fiber	C	□ PVC	1.7	1 1 1		her (Specify)	• • • • • • • • • • • • • • • • • • • •		•••••
☐ Brass SCREEN OF		anized Steel			☐ None t	ised (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrap	ned □ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvere		☐ Key Puncl						ne (Open H					
SCREEN-PE										ft., From	ft.	to.	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest source of possible contamination: ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well												
☐ Other (Specify)													
Direction from well? Distance from well?									13.16	. DIEEDII I G			
10 FROM	TO	1	THOLOG	FIC LOG		FRON	1	TO	LH	HO. LOG (cont.) or	PLUGG	ING	INTERVALS
													-
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	er Well Con	tractor's Lice	ense No		This W	ater Well	Reco	rd was coi	mple	eted on (mo-day-y	ear)		
under the bu	siness name	of							<u> </u>	or each constructed we		<u></u>	
KS Departme	ent of Health at	send one copy to	o WATER W	ELL OWNI	ER and retain	one for your	record	ds. Fee of \$5 t Suite 420	5.00 f Tope	or each <u>constructed</u> we eka Kansas 66612-136	別. 57 Teleph	ione '	785-296-3565
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1377413

Litholgy

From	То	LithologicLog
0	9	CLAY AND SANDY CLAY
9	20	MED SAND W/ CLAY STRINGER
20	77	SANDY CLAY
77	78	MED SAND
78	80	CLAY
80	95	CLAY AND SANDY CLAY
95	100	SAND & CEM SAND
100	106	SAND & SANDSTONE
106	110	CLAY
110	120	MED SAND & CLAY
120	134	C. SAND & F. GRAVEL
134	136	LIME
136	152	C SAND & F. GRAVEL
152	162	CLAY
162	165	C SAND
165	170	CEM SAND
170	175	M/C SAND
175	180	MED SAND & SS/C SAND
180	200	MED SAND & TR CLAY
200	220	MED SAND & C SAND
220	232	M/C SAND & FINE GRAVEL
232	235	CLAY
235	240	C SAND W/ FINE GRAVEL

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1377413

Litholgy

From	То	LithologicLog
240	244	C SAND & F. GRAVEL
244	266	OCHRE/ SHALE