	. WATER WEL	LL RECORD	Form WW0	C-5 KSA 8	2a-1212		
1 LOCATION OF WATER WELL:	Fraction		1	Section Number	er Townshi	p Number	Range Number
County: Scott Distance and direction from nearest town of			NE 1/4	23	<u> </u>	17 S	R 32 E(W)
	-		•		dudu. Od danum		
Approximately 4 1/4 WATER WELL OWNER: Wayne	<u>mires east a</u> Griffith	x 3 1/2 m1.	res nor	CH OF SCC	ott City.		
RR#, St. Address, Box # : 307 Al:					Board	of Agricultura	Division of Water Resources
	City, Ks. 67	7871				ation Number:	
LOCATE WELL'S LOCATION WITH 4			187	4 CIEV			
							3
							5-25-90
							imping 117 gpm
Es							Imping gpm
2 2 2							. to
	ELL WATER TO BE			ater supply			Injection well
200 CO SW 000 DO CO SE 000 CO	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Other (Specify below)
1	2 Irrigation	4 Industrial	7 Lawn an	d garden only	10 Monitoring		
Wa	as a chemical/bacterio	ological sample s	submitted to	Department?	YesNo.	X; If yes	, mo/day/yr sample was sub-
The second secon	tted	~~		V	Vater Well Disinf	ected? Yes	No X
5 TYPE OF BLANK CASING USED:		rought iron		crete tile			d Clamped
1 Steel 3 RMP (SR)		bestos-Cement		er (specify bel			led
2 PVC 4 ABS		perglass					aded
Blank casing diameter . 85/8 in.	10 40 /	ft., Dia	in ⊆∡L	to			in. to ft
Casing height above land surface TYPE OF SCREEN OR PERFORATION M		eignt ± ×					
1 Steel 3 Stainless st		perglass		RMP (SR)		Asbestos-ceme	∍nı '
2 Brass 4 Galvanized		oncrete tile		ABS		None used (or	
SCREEN OR PERFORATION OPENINGS			ed wrapped		8 Saw cut	140110 daed (of	11 None (open hole)
1 Continuous slot 3 Mill s			wrapped		9 Drilled ho	les	(opon noio)
and the office of the first of the contract of	punched	7 Torch					
SCREEN-PERFORATED INTERVALS:							:oft.
							:oft.
GRAVEL PACK INTERVALS:			187			ft. 1	toft.
	From	ft. to		ft., Fr			
6 GROUT MATERIAL: 1 Neat cem		nent grout					
Grout Intervals: From5ft. What is the nearest source of possible cor		t., From					ft. to
1 Septic tank 4 Lateral li		7 Dit privat			estock pens		bandoned water well
2 Sewer lines 5 Cess po		7 Pit privy 8 Sewage lago			el storage		
3 Watertight sewer lines 6 Seepage		9 Feedyard	3011		tilizer storage ecticide storage		Other (specify below) ne.observed
Direction from well?	, pit	3 i eedyard			any feet?	4450.	11¢, 90,0¢+,0,0¢
	LITHOLOGIC LOG		FROM	TO	larly reet:	PLUGGING I	NTERVALS
See attache	d log						
					-		
					1		
· · · · · · · · · · · · · · · · · · ·							
					-		The same of the sa
				1		nayangan santang ing gangana manamananga ga tana ga manama	
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: T	hie water well	no (1) con-	truoted (0) ==	A constructed	O aluana d	dor my hyriadiation and
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) May 24, 1990 and this record is true to the best of my knowledge and belief. Kansas							
Water Well Contractor's License No							
under the business name of Henkle					nature) Davi	67 June	hwit
INSTRUCTIONS: Use typewriter or ball point pen	. PLEASE PRESS FIRMLY	and PRINT clearly. Pl	ease fill in blar	ks, underline or ci	rcle the correct answer	ers. Send top three	copies to Kansas Department
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							

DRILLERS TEST LOG

CUSTOMER'S NAME:	Griffith Cattle Co.	DATE:	5-21-90
STREET ADDRESS:	Rt. 1	TEST #	2 E. LOG Yes
CITY & STATE:	Scott City, Ks. 67871	DRILLER	Wildeman
COUNTY Scott	QUARTER NE SECTION 23 TO	OWNSHIP 17	RANGE 32
LOCATION 30' west	of PVC well		

New well location STATIC WATER LEVEL: 139' FOOTAGE % From Pay TO DESCRIPTION OF STRATA Proposed Well Depth: 187' 0 Top soil 25 Brown silty clay & fine sand 225 Brown silty clay & caliche 30 30 Caliche, cemented sand & limerock 41 41 55 Brown sandy clay sand streaks & cemented sand 55 Sand fine to medium coarse small gravel few medium 72 cemented in places 72 110 Cemented sand & few sand streaks 110 112 Yellow & tan clay 112 Sand fine to medium & very few clay streaks 127 127 Brown sandy clay 130 50 130 05 145 Sand fine to medium 45 145 11 156 Sand fine to medium & sandy clay mixed 65 156 09 165 Sand fine to medium coarse small gravel & brown rock 70 165 12 177 Sand fine to medium coarse small to medium gravel & brown & white rock 177 180 Yellow clay Well depth = 187' 3 - Bags of Quick Gel l - Perma Plug l - Hole Plug The top sands used lots of water. Jed A - set up south Pit on the west

GARDEN CITY, KS 67846 3795 West Jones Ave.

HENKLE DRILLING & SUPPLY CO., INC.

316-277-2389

IRRIGATION HEADQUARTERS