WATE	ER WE	LL RECORD	Form W	WC-5	D	ivision of Water	Resources App. No	527	
1 LO	CATION	OF WATER WELL:	Fraction			ion Number	Township No.	Range Number	
Cou	County: Scott		1/4 NW 1/4 NV			18	T 17 S	R 34 □E ☑W	
Stre	et/Rural	Address of Well Location; i				System (GPS) in			
fron	from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
96	96 Highway & Wichita Scott County Line 6 1/2 Miles North, 3050'					Longitude: (in decimal degrees)			
East					Elev	Elevation:			
2 W	2 WATER WELL OWNER: Barnhart Trust					Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR	RR#, Street Address, Box #: 307 South Main					GPS unit (Make/Model:)			
	ZIP Code : Scott Cit			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 106 ft.									
	SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.								
	SECTION BOX: N Depth(s) Groundwater Encountered (1)								
	Pump test data: Well water was 52								
EST. YIELD. 80gpm. Well water wasft. after hours pumping gpm									
W E Bore Hole Diameter 10in. to .106ft., andin. toft.									
WELL WATER TO BE USED AS:									
SW SE Domestic									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Stock Well									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
water wen disinfected; M 162 140									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Threaded Threaded									
Casing diameter .5 in. to .86									
Casing height above land surface18									
Steel Stainless Steel 77 PVC (Specific)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From 20 ft. to .106 ft., From ft. to ft.									
From									
6 GROUT MATERIAL: Neat cement Cement grout 7 Bentonite Other									
Grout Intervals: From									
		est source of possible contain	mination:	_				•	
. =	Septic ta		≈ ☐ Pit privy	☐ Livestock ☐ Fuel store	•	Insecticide:	storage	er (specify below)	
						Abandoned			
		m well South	L recuyard	☐ Fertilizer Distance		☐ Oil well/gas ell120'	s well		
FROM		LITHOLOGI	C LOG	FROM	TO			GGING INTERVALS	
0	2	Top Soil		78	81	Brown Clay		Como mandia valo	
2	20	Brown Clay With Gypsu	m	81	86	Fine To Me			
20	25	Coarse Sand		86	92	Brown Clay			
25	29	Brown Clay		92	102		nd Small Gravel	White	
29	35	Coarse Sand Small Gra	vel			Broken Roc			
35	50	Cemented Sand Few Lo	oose Sand Streak	102	106	Yellow Sop			
50	72	Fine To Medium Sand S							
		Gravel							
72	78	Fine To Medium Sand S	Some Small						
	Gravel Few Cemented Sand Streaks								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) .6-3-20 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 532 This Water Well Record was completed on (mo/day/year) .619-20									
under the business name of . Midwest Well & Pump Inc									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
		5522. Send one copy to WATE							
http://www.kdheks.gov/waterwell/index.html									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									