USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

ГТТ	\neg			
		\perp		
Т	R	FW	sec 1/4 1/4 1	/4 No.

Kansas State Dept. Of Health (Water Well Contractors) Forbes–Bldg. 740 Topeka, Kansas 66620

	County	Township name	Fraction		Section	on number		Town number	Range num	nber
1 Location of well:	Wichita	Edwards	NEW	WY/NEZ	6			17	35	W
Distance and direct	ion from nearest town or cit	ty: ,25N,-,25W -	8N-25W		of well	: L	oui	e Zellne		
of Marinthal, KS Street address of well location if in city: Address: Marienthal, Kansas										
Locate with "X" in section below: Sketch map:				L	4 Well depth: 192 ft. Date of completion 2-1					
	N							ell diameter <u>16</u> in.		
								Cable tool X Rotary Hollow rod D Jetted		
								e: Domestic Pub		
w	-¦¦							Irrigation 🔲 Air		
							7.6-	sing: Material Stee	Tue'-la -l	- A-1
							Th	readed Welded 🔀	Surface 72	Ein.
	S						Die	am. 1652 in. to 52ft. depth	Weight <u>2</u>	2 lbs./ft
	1 Mile			T			_	in.toft.depth in.toft.depth		_Yes ∑ No
2	Тур	e and color of material			From	То	8 Sci			
Tansai	1				0	15		pe Dunched	Brow	n
100.301					_		Slo	ot/gauze 109	Length 70)
Clay					15	35		t between <u>152</u> ft. an	nd 192 ft	_ -
Sandy	Clay				35	62	Gr	tings: avel pack 🔀 Yes 🗌 N	o Size range o	f material —
clay	<i>J</i>				62	130	9 Sta	atic water level: 2 ft. below land surfa	ace Date 2-	10-76
and 5	and				130	/35	T 0 Pur	mping level below land s	urfaces:	
0					120	120		ft. after h ft. after h		
Sana					133	13.		imated maximum yield		
Clay		<u> </u>			137	138	_	iter sample submitted; Yes M No Do	ate	
Sand					138	139		Il head completion:	are	
2/24					129	1.1.		Pitless adapter	Inches abo	ove grade
Clay	7.444				57	140		Il grouted? XYes	□ N ₀	Ì
clay					140	142	De _i	Neat cement Bento	10 ft.	
rock					142	143		earest source of possible		
Sand			-		140	151	ı	Direction — ell disinfected upon comp		rype es No
2/1	· · · · · · · · · · · · · · · · · · ·	1000			/_	,	15 Pur	•	Not instal	led
Fine sand	,				50	152	~	anufacturer's name odel number	. HP	Volts
clay					165	172	Ler	ngth of drop pipe		
Sind					172	175		pe: Submersible	☐ Turbine	
Sand					176	180		Jet	Reciproca	ting
Fine Sal	14	e a second sheet if needed)			180	192		Certrifugal	Other	
16 Remarks: elevat	= 4 10W</td <td></td> <td></td> <td></td> <td>191</td> <td></td> <td></td> <td>iter well contractor's cer s well was drilled under</td> <td></td> <td>and this</td>				191			iter well contractor's cer s well was drilled under		and this
	Blue Shal	4			19:	2	гер	ort is true to the best of	my knowledge	I
Topography:		The state of the s	erorustening i 1550 il urani, vigali i i rani				_	whinery Dr	rilling.	256
Slope								Idress 405 Autelo	er Scoti	Ctyke
Upland							Sig	gned Authorized repre	sentative	Date / - Z 4 - 20

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5

17 35W 6 NENWNE