

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

RUSSELL SPRINGS 35W

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

AAA

1. Location of well: County Wichita		Fraction NE 1/4 NE 1/4 NE 1/4		Section number 28	Township number T 17 S R 37	Range number XX
2. Distance and direction from nearest town or city: 5 mi North, 2 mi West of Leoti Street address of well location if in city:				3. Owner of well: Lanny Mehl R.R. or street: Leoti City, state, zip code: Ks. 67861		
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile		Sketch map: Road well 150' house 100' NE of round top		6. Bore hole dia. 8 3/4 in. Completion date 2/16/77 Well depth 208 ft.		
5. Type and color of material		From	To	7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
Clay		0	20	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Gyp		20	60	9. Casing: Material Pisto Height 24 in. Threading glu Surface 24 in. RMP PVC Weight 40 lbs./ft. Dia. 5 in. to 208 ft. depth Wall thickness: 3/16 in. or Dia. 5 in. to 208 ft. depth gage No. 40		
Sand, gravel, little clay		60	80	10. Screen: Manufacturer's name Jesse-Lowell Type Plastic Dia. 5" Slot/auze 1/16 Length 30' Set between 178 ft. and 208 ft. Gravel pack? <input checked="" type="checkbox"/> Yes Size range of material 3/16 ft.		
Sand, gravel, clay streaks		80	120	11. Static water level: 137 ft. below land surface Date 2/14/77 mo./day/yr.		
Medium sand, clay		120	180	12. Pumping level below land surfaces: ft. after 0 hrs. pumping 0 g.p.m. ft. after 0 hrs. pumping 0 g.p.m. Estimated maximum yield 100 g.p.m.		
Clay, sand, gravel		180	200	13. Water sample submitted: 0 mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
Clay		200		14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 24 inches above grade		
BROCK ZOO'				15. Well grouted? <input checked="" type="checkbox"/> Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 4 ft. to 14 ft.		
				16. Nearest source of possible contamination: None ft. Direction Type None Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: Pumpco Not installed Manufacturer's name Pumpco Model number 52S2012 HP 2 Volts 230 Length of drop pipe 189 ft. capacity 11.6 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks: 3352 (TOPO)		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. High Plains Drilling & Supply, Inc 136 B Business name High Plains Drilling & Supply, Inc 136 B License No. A Address 402 N 3rd, Garden City, Ks Signed [Signature] Date 3/16/77 Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		flat				

L 7 3 7 2 8
1/4 1/4 1/4