USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

## RUSSELL SPRINGS 35W

## WATER WELL RECORD KSA 82a-1201-1215

C 100

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

|  | T                                     | T                         | T   |  |                                     | Tr  | D               | $\overline{}$ |  |
|--|---------------------------------------|---------------------------|-----|--|-------------------------------------|---|-----------------|---------------|--|
| 1. Location of well:                                 | County                                | Fraction SE               |     | Section number  1/4 14 3. Owner of well: Can |                                     | Township number   | Range number    |               |  |
|  |                                       |                           |     |  |                                     | 17 17 S   | R 38            | E.(W)         |  |
| R.R. or  |                                       |                           |     |  |                                     |   |                 |               |  |
| Sent address of well legation if in city. Solkink KS |                                       |                           |     |  | rote, zip code: Leoti, Kansas 67861 |   |                 |               |  |
| 4. Locate with "X" in section below: Sketch map:     |                                       |                           |     |  |                                     | 6. Bore hole dia. 9 in. Completion date 9-4-75                              |                 |               |  |
|  | 1                                     |                           |     |  |                                     | Well depth 170 ft.  |                 |               |  |
| 1   1  |                                       |                           |     |  |                                     | 7 Cable tool X Rotary   |                 |               |  |
|  |                                       |                           |     |  |                                     | 8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock |                 |               |  |
|  |                                       |                           |     |  |                                     |   |                 |               |  |
| sw   |                                       |                           |     |  | - 1                                 | LawnO<br>9. Casing: Material Plas   |                 | Other         |  |
| l k  |                                       |                           |     |  |                                     | Threaded Welded   | ISurface        | 12 in.        |  |
| 5  | S                                     |                           |     |  |                                     | RMP PVC   | Weight1_        | 8_lbs./ft.    |  |
|  | Aile ———————                          |                           |     |  |                                     | Dia. 5_ in. to 130t. dep<br>Dia in. to ft. dep                              |                 | nches or      |  |
| 5. Type and color of                                 | f material                            |                           |     | From   | То                                  | 10. Screen: Manufacturer's  | name            |               |  |
| Clay   |                                       |                           |     | 0  | 40                                  | Jess &  | Lowell          |               |  |
| Jiay   |                                       |                           |     | U  | <b>1</b> 9                          | Type Plastic Slot/gauze   | Dia<br>_ Length |               |  |
| Sd   |                                       |                           |     | <b>1</b> 9                                   | 21                                  | Set between130  | ft. and17       | Oft.          |  |
| Clay   |                                       |                           |     | 21   | 28                                  | Gravel pack? Yes Size ra  | nge of material | #1 ft.        |  |
| Rock H   |                                       |                           |     | 28   | 35                                  | 11. Static water level:  116 ft. below land sur                             | mo              | ./day/yr.     |  |
|  |                                       |                           |     |  |                                     | 12. Pumping level below land  |                 |               |  |
| Fine sd clay   |                                       |                           |     | 35   | 40                                  | 126 ft. after 1   |                 |               |  |
| Sd coarse  |                                       |                           |     | 40   | 47                                  | ft. afterhrs. pumpingg.p.m.  Estimated maximum yieldg.p.m.                  |                 |               |  |
| Sd rock  |                                       |                           |     | 47   | ميد                                 | 13. Water sample submitted:   |                 | ./day/yr.     |  |
| Clay   |                                       |                           |     | - 2  | 70                                  | Yes X No Date   |                 |               |  |
|  |                                       |                           |     | 49   | 78                                  | 14. Well head completion:  X Pitless adapter                                | Inches above    | grade         |  |
| Fine sdy clay T                                      |                                       |                           |     | 78   | 87                                  | 15. Well grouted? <u>Yes</u>  |                 |               |  |
| Clay   |                                       |                           |     | 87   | 107                                 | With: X Neat cementBentonite Concrete  Depth: From ft. to ft.               |                 |               |  |
|  |                                       |                           |     | ,  |                                     | 16. Negrest source of possible contamination:                               |                 |               |  |
| Sd coarse  |                                       |                           |     | 107  | <b>11</b> 8                         | ft. 200 Direction SE Type Feedlat   |                 |               |  |
| Fine sd clay   |                                       |                           |     | <b>11</b> 8                                  | 129                                 | Well disinfected upon complete.  17. Pump:                                  |                 | No            |  |
| Sd coarse  |                                       |                           |     | 129  | 1 51                                |   | d Jacket        |               |  |
|  |                                       |                           |     |  |                                     | Model number  |                 | olis 230      |  |
| Sd rock  |                                       |                           |     | 151  | 155                                 | Length of drop pipe   | ft. capacity2   | ¥g.p.m.       |  |
| Sdy clay   |                                       |                           | 155 | 163  | X Submersible                       | Turbin  | i i             |               |  |
| Sd coarse  | (Use a second s                       | heet if needed)           |     | 163  | 166                                 | Jet<br>Centrifugal  | Recip           | rocating      |  |
| 18. Elevation:                                       | 19. Remarks: Fine sd cl               |                           |     | 166  | 169                                 | 20. Water well contractor's   |                 |               |  |
|  | Clay yello                            | W                         |     | 169  | 180                                 | This well was drilled under m   |                 | · I           |  |
| Topography:  | Shale                                 |                           |     | 180  |                                     | is true to the best of my know<br>Weishaar Drill                            |                 | 232           |  |
| — Hill   | BROCK                                 | 169'                      |     |  |                                     | Business name   |                 | cense No.     |  |
| Slope<br>X Upland                                    | 2100                                  | Town                      |     |  |                                     | Address   | W . 23 0/8      | 71            |  |
| Valley   | 7109                                  | (JOPU)                    |     |  |                                     | Stanes Authorized rep   | resentative     | <u> </u>      |  |
| ··· <del>·</del>                                     | lue and pink copies to the Department | of Health and Environment |     |  |                                     |   | Form W          | WC-5          |  |