## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County Fraction			Section number		Township number Range number		
1. Location of well:	Wichita	SE 1/4 SW 1/4 SW	1/4	2	7	T 12 S	R 38	E CO
2. Distance and direction from nearest town or city: 4N, TEE 14E of 3. Owner					: A	rt Gribben		
Street address of well location if in city: Selkirk, KS R.R. of City, s					tate, zip code: Leoti, KS 67861			
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 24 in Well depth 197 ft.	. Completion date 8-23-75	
				eptol		7Cable toolRotaryDrivenDugHollow rodJettedBored X_Reverse rotary  8. Use:DomesticPublic supplyIndustryElrrigationAir conditioningStockLawnOil field waterOther  9. Casing: Material LeeHeightDover below		
s						Threaded Welded is urface in .  RMP PVC Weight 17_5 _lbs./ft .		
5. Type and color of material				From	То	Dia 12 in. to 197 ft. depth Wall Thickness: inches or Dia in. to ft. depth gage No. 134		
Clay				0	19	10. Screen: Manufacturer's name Free Flow  Type Prime Steel Dia. 12 in.		
Сур				19	28	Set between 157 ft. and 197 ft.		
Clay				28	32	ft. andft.  Gravel pack? Yes_ Size range of material 2-4		
Sd coarse				32	53	11. Static water level: mo./day/yr.  121 ft. below land surface Date 8-4-75		
Fine sd clay				53	57	12. Pumping level below land 158 ft. after 4	d surfaces: hrs. pumping 500 g	
Sd coarse				57	77	164 ft. after 4 hrs. pumping 560 g.p.m. Estimated maximum yield 560 g.p.m.		
Clay				77	84	13. Water sample submitted: mo./day/yr.		
Sd rock				84	88			
Sdy clay				88	109	Pitless adapter 12 Inches above grade  15.)Well grouted?		
Clay				109	128	With: Negt cement Bentonite Concrete		
Fine sd clay				128	144	16. Nearest source of possible contamination: ft. 1320 Direction E Type Septic		
Clay				144	153	Well disinfected upon comple	etion? X Yes	_ <sup>№</sup> 1(\
Sd coarse				153	159	17. Pump:  Manufacturer's name Wes:		ller "
Fine sd clay				159	169	Model number	HP <u>40</u> Volts ft. capacity <u>560</u>	.p.m.
Sd rock				169	171	Type: Submersible	X Turbine	h
Sd. coarse (Use a second sheet if needed)				171	178	Jet Centrifugal	Reciproca	*\/\
18. Elevation:	19. Remarks: Fine sd c. Sd coarse	lay		178	182 186	20. Water well contractor's		
	Clay yell	O.W.		182 186	192	This well was drilled under m is true to the best of my know		port
Topography:	Shale			192	195	Weishaar Dril		32 519
Hill	PIIGH			-76	177	Business name	Licens	
Slope						Address SCOTT	4x. KS 6787	>\ <u>\</u>
Upland Valley					4	Signor Authorized rep	resentative 7-20-	<del>76</del>   ≤  €
Forward the white, blue and pink copies to the Department of Health and Environment							Form WWC-	۲۰۰۷