


1 LOCATION OF WATER WELL: Fraction SE 1/4 SE 1/4 SW 1/4 Section Number 36 Township Number T 17 S Range Number R 4 ~~EW~~
 County: McPherson
 Distance and direction from nearest town or city street address of well if located within city?
3 miles south and 2 1/2 miles west of Lindsborg, KS.

2 WATER WELL OWNER: Al Hart
 RR#, St. Address, Box #: R. R. Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Lindsborg, KS. Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 30 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 23 ft. 2. 23 ft. 3. 23 ft.
 WELL'S STATIC WATER LEVEL 23 ft. below land surface measured on mo/day/yr 9-21-82
 Pump test data: Well water was 23 ft. after 8 hours pumping 23 gpm
 Est. Yield 23 gpm: Well water was 23 ft. after 8 hours pumping 23 gpm
 Bore Hole Diameter 8 in. to 30 in. and 30 in. to 30 in.
 WELL WATER TO BE USED AS:
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes XX No XX; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes XX No XX

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX Clamped XX
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded XX
 7 Fiberglass Threaded XX
 Blank casing diameter 4 in. to 21 ft., Dia. 12 in. to 21 ft., Dia. 2.16 in. to 193 lbs./ft. Wall thickness or gauge No. 193
 Casing height above land surface 12 in., weight 2.16 lbs./ft. Wall thickness or gauge No. 193
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 193
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) 193
 SCREEN-PERFORATED INTERVALS: From 21 ft. to 31 ft., From 21 ft. to 31 ft.
 From 15 ft. to 30 ft., From 15 ft. to 30 ft.
 GRAVEL PACK INTERVALS: From 15 ft. to 30 ft., From 15 ft. to 30 ft.
 From 15 ft. to 30 ft., From 15 ft. to 30 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 5 ft. to 15 ft., From 5 ft. to 15 ft., From 5 ft. to 15 ft., From 5 ft. to 15 ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? NORTH WEST How many feet? 200 ft

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	5	Top soil			
5	21	Brown clay			
21	27	Medium coarse gravel			
27	30	Blue shale			
30	31	Red shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-21-82 and this record is true to the best of my knowledge and belief. Kansas
 Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 10-1-82
 under the business name of Peterson Irrigation, Inc. by (signature) Mike Peterson

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
 T 17 R 4
 SEC. 36
 SE 1/4 SE 1/4 SW 1/4