## WATER WELL RECORD KSA 82a-1201-1215



Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

Form WWC-5

						lopeka, Kansas 66620		
1. Location of well:	County Fraction			Section number		Township number	Range number	
Greeley SE 1/4 SE 1/4 SW		1/4 31		1	T 17 s	. R 40 E.		
2. Distance and direction from nearest town or city: $4N$ , $1\frac{1}{2}$ W Of				3. Owner of well:		Joe Smith		
Street address of well location if in city: Tribune, Kansas				R.R. or street:		That have a VC CDCCC		
				City, state, zip code:		Tribune, KS 67879  6. Bore hole dig. 9 in. Completion date		
4. Locate with "X" in section below:  N						Well depth 190 ft.	4-9-76	
	$\overline{}$	well				7 Cable tool x Rotary		
X well 10560						Hollow rod Jetted Bored Reverse rotary		
Wile	E	1000				8. Use: X Domestic P	ublic supply Industry ir conditioning Stock	
sw	- SE	. 1				Lawn C	Nil field water Other	
X Facel						9. Casing: Material Plas. Height above or below  Threaded Welded Glue   Surface in.  RMP_X PVC Weight 1 .8 _ lbs./ft.  Dia. 5 in. to ft. depth   Wall Thickness: inches or  Dia in. to ft. depth   gage No 250		
s LOT								
I → 1 Mile → I				1 1 1				
5. Type and color of	material			From	То	10. Screen: Manufacturer's		
Clay				0	30	Jess &		
	1					Slot gauze 1/16	Dia	
Sdy cl	Lay			30	36	Set betweenft.	_ft. andft.	
Sd coarse				36	<b>5</b> 9	Gravel pack YAS Size ro	1 4 /4	
Sdy clay				59	78	11. Static water level:	mo./day/yr.	
						152 ft. below land su		
Sd rock				78	82	12. Pumping level below land surfaces: 162 ft. after 1 hrs. pumping 18 g.p.m.		
Sd coarse				82	88	ft. after hrs. pumping g.p.m. Estimated maximum yield 18 g.p.m.		
Clay				88	98	13. Water sample submitted:		
<b>D</b> •	7 7					Yes X No	Date	
Fine sd clay				98	105	14. Well head completion:  X Pitless adapter 12 Inches above grade		
Clay				105	116	15. Well grouted? <u>VAS</u>		
Sdy clay				116	126	With: X Neat cement		
Sd. common				10/	41:0	Depth: From ft. to	Feed	
Sd coarse				126	143	ft. 0560 Direction Well drainfected upon complete	Type Lot	
Clay				143	151	Well disinfected upon complete.  17. Pump:	Net installed	
Sd coarse				151	158	Manufacturer's name <u>Re</u>	d Jacket	
Clay				158	170	Model number 20071 Length of drop pipe 186	— HP <u>2</u> Volts <u>220</u> — ft. capacity <u>18</u> g.p.m.	
			·.	1	12,0	Туре:		
Sd coarse				170	187	X Submersible Jet	Turbine Reciprocating	
Clay y	rellow (Use a second s	heet if needed)	(	187	195	Centrifugal	Other	
18. Elevation:	19. Remarks:			Anna House Street		20. Water well contractor's		
	,	a vara				This well was drilled under m is true to the best of my know	ny jurisdiction and this report vledge and belief.	
Topography:	7/45	TON THE STATE OF T				Weishaar Dril	Ting 232	
Hill Slope	TOPO 364					Business name	License No. KS 67871	
X_ Upland						Paul III		
Valley						Authorized le	presentative 5-13-76	