KOLAR Document ID: 1513342

WATER WELL R			WWC-5 ge in Well Use		vision of Wate ources App. 1			Well ID		
Original Record Correction Chang LOCATION OF WATER WELL:				ction Number		Township Numbe		ge Number		
County:				4 ¹ ⁄4	1			R		
					treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
Address: City: State: ZIP:										
3 LOCATE WELL	c									
WITH "X" IN	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)									
SECTION BOX: N	2)	ft. 🤇	Dry Well	Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27						
	WELL'S ST		ft. -yr)		Source for Latitude/Longitude:					
NW NE			-yı) -yr)		☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)					
	Pump test d				Land Survey Topographic Map					
W E	after	after hours pumping gpm Well water was ft.				Online Mapper:				
SW X SE	after									
	Estimated Y		ft and		6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map					
1 mile	Bore Hole I	Bore Hole Diameter: in. to ft ft ft.								
7 WELL WATER TO BE USED AS:										
1. Domestic:	 5. Dublic Water Supply: well ID 6. Dewatering: how many wells? 									
☐ Household □ Lawn & Garden					11. Test Hole: well ID					
Livestock	8. 🗆	Monitorin		12. Geot	12. Geothermal: how many bores?					
 2. ☐ Irrigation 3. ☐ Feedlot 		D		a) Closed Loop						
4. Industrial	□ Air Sparge □ Soil Vapor Extraction □ Recovery □ Injection					13. □ Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? Yes No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter										
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel Steinless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.										
Nearest source of possible contamination: No potential source of contamination within 200 ft. Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage										
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well										
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)										
Direction from well? ft.										
10 FROM TO	I	ITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
				Notes:	<u>ı </u>					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged										
under my jurisdiction and was completed on (mo-day-year)										
Kansas Water Well Contractor's License No										
under the business name	Send one copy to	WATER W	ELL OWNER and retain	one for your rec	ords. Fee of \$	5.00 fc	or each <u>c</u> onstructed we	 11.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212										