WATER WELL RECORD			Form W	WC-5	Di	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:			Fraction	***************************************		on Number	Township No.	Range Number	
	County: Ellsworth		1/4 SE 1/4 SW 1/4 SW 1/4		4	32	T 17 S	R 8 DE ZW	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:									
								(in decimal degrees)	
2S,	2S, 4E of Lorraine, KS					Longitude: (in decimal degrees)			
		•			Eleva	Elevation:			
2 WATER WELL OWNER: Vondra Brothers						Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 1415 Ave. Y						ction Method:	e/Model:	1	
City Chata ZID C 1			o, KS 67444			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
			U, NO U/ 444		Est. A	Est. Accuracy:			
3 LOCATE WELL									
	VITH AN "X" IN 4 DEPTH OF COMPLETED WELL 74								
SEC.	Depth(s) Groundwater Encountered (1).17								
   r	WELL S STATIC WATER LEVEL								
	Pump test data: Well water was								
w N\	W - NW NE - EST. YIELD. 20gpm. Well water wasft. after								
\	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
, cv	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
1	Irrigation Industrial Domestic-lawn & garden Monitoring well								
<u></u>	Was a chemical/bacteriological sample submitted to Department?  Was a Chemical/bacteriological sample submitted to Department?  No								
	S If yes, mo/day/yr sample was submitted								
Water well disinfected? ✓ Yes ☐ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5. in. to .34. ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface!. in., Weight 2.8lbs./ft., Wall thickness or gauge No. Sch. 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
Fromft. toft. Fromft toft									
GRAVEL PACK INTERVALS: From 23 ft. to .74 ft., From ft. to ft.								to ft.	
From									
		From 0 ft to	23 ft From	. <b>K</b> T penk	ft to	_ Otner	From	ft to ft	
Grout Intervals: From .0									
□ Septic tank □ Lateral lines □ Pit privy □ Livestock pens □ Insecticide storage ☑ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage						Abandoned water well			
					storage  Oil well/gas well house from well .128.				
FROM	TO	LITHOLOG	ICLOC	T					
0	1		IC LOG	FROM	TO	LITHU, LC	OG (cont.) or PLU	GGING INTERVALS	
1	66	top soil mealy clay		-					
66	74	shale		-					
		Silaic						MANAGEMENT AND	
					-		· · · · · · · · · · · · · · · · · · ·		
		***************************************							
								The state of the s	
								The state of the s	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .08/29/14 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 186									
under the business name of Kelly's Water Well Service, Inc. by (signature) Location of Service answers. Send one copy to									
	Kansas D	epartment of Health and Environn	nent, Bureau of Water, Geo	logy Section.	1000 SW J	ackson St., Suite	420. Topeka, Kansas	66612-1367	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									