


1 LOCATION OF WATER WELL: County: <u>Ellsworth</u>		Fraction <u>NE 1/4 NE 1/4 NE 1/4</u>		Section Number <u>31</u>	Township Number <u>T 17 S</u>	Range Number <u>R 9 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>550 S & 125' W of NE corner</u> <u>MW-3 08-61D</u>						
2 WATER WELL OWNER: <u>ENRON</u> RR#, St. Address, Box #: _____ City, State, ZIP Code: <u>Bushton, KS</u> Board of Agriculture, Division of Water Resources Application Number: _____						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL <u>190</u> ft. ELEVATION: _____ Depth(s) Groundwater Encountered <u>67.18</u> ft. 2. _____ ft. 3. _____ ft. WELL'S STATIC WATER LEVEL _____ ft. below land surface measured on mo/day/yr Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter <u>12.75</u> in. to <u>96</u> ft. and <u>7.875</u> in. to <u>96-190</u> ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10 Monitoring well</u> Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>X</u> ; If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes _____ No <u>X</u>				
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____ <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____ Blank casing diameter <u>2</u> in. to <u>130</u> ft. Dia <u>8</u> in. to <u>96</u> ft. Dia _____ in. to _____ ft. Casing height above land surface <u>32</u> in. weight <u>69</u> lbs./ft. Wall thickness or gauge No. _____ TYPE OF SCREEN OR PERFORATION MATERIAL: <u>7 PVC</u> 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) _____ 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot <u>3 Mill slot</u> 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) _____ SCREEN-PERFORATED INTERVALS: From <u>130</u> ft. to <u>190</u> ft. From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From <u>127</u> ft. to <u>190</u> ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.						
6 GROUT MATERIAL: <u>1 Neat cement</u> 2 Cement grout <u>3 Bentonite</u> 4 Other _____ Grout Intervals: From _____ ft. to <u>124</u> ft. From _____ ft. to <u>124</u> ft. From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? <u>unknown</u> How many feet? _____						
FROM TO LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS				
0	78	Clay, silt, shale				
78	87	SS				
87	125	Clay				
125	127	LS				
127	145	Clay				
145	185	SS				
185	190	Shale				

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-18-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 581 This Water Well Record was completed on (mo/day/year) 5/19/96 under the business name of Layne, Inc by (signature) Steve Mitchell