

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Ellsworth

Location listed as:

Location ~~changed to~~:

Section-Township-Range: _____

30-17S-9WFraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): _____SE SE NEOther changes: Initial statements: Rice CountyChanged to: Ellsworth County

Comments: _____

verification method: Written & legal descriptions, area map on internet,
position on plat map, and Holyrood & Lorraine 1:24,000
topo. maps. initials: ARL date: 2/28/2005submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Rice</u>		<u>SE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$	<u>30</u>	T <u>17</u> S	R <u>9</u> EW
Distance and direction from nearest town or city street address of well if located within city? <u>From Hwy 171 & Hwy 4 near Bushton, KS go E on Hwy 4 to 8th Rd N app 2 mls & W into</u>					
2 WATER WELL OWNER:		<u>Kinder Morgan Aka: Scott Yount</u> RR#, St. Address, Box # : <u>1020 Hoover St.</u> City, State, ZIP Code : <u>Great Bend, KS 67530</u>			
		Board of Agriculture, Division of Water Resources Application Number: <u>NA</u>			
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL: <u>80</u> ft. ELEVATION: <u>80</u>			
AN "X" IN SECTION BOX:		Depth(s) Groundwater Encountered 1. <u>2.2</u> ft. 2. <u>2.2</u> ft. 3. <u>2.2</u> ft. WELL'S STATIC WATER LEVEL <u>2.2</u> ft. below land surface measured on mo/day/yr <u>2.2</u> Pump test data: Well water was <u>2.2</u> ft. after <u>2.2</u> hours pumping <u>2.2</u> gpm Est. Yield <u>2.2</u> gpm: Well water was <u>2.2</u> ft. after <u>2.2</u> hours pumping <u>2.2</u> gpm Bore Hole Diameter: <u>7</u> in. to <u>80</u> ft., and <u>80</u> in. to <u>80</u> ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 <u>Monitoring well</u>			
		Was a chemical/bacteriological sample submitted to Department? Yes. <u>No</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>No</u>			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued. <u>Clamped</u>			
1 Steel <u>2 PVC</u> 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass		8 Concrete tile 9 Other (specify below) Welded <u>Threaded</u>			
Blank casing diameter <u>2</u> in. to <u>60</u> ft., Dia <u>60</u> in. to <u>60</u> ft., Dia <u>60</u> in. to <u>60</u> ft.		Casing height above land surface <u>30</u> in., weight <u>7.2</u> lbs./ft. Wall thickness or gauge No. <u>Sch 40</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:		1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 <u>PVC</u> 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		1 Continuous slot 2 Louvered shutter 3 <u>Mill slot</u> 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)			
SCREEN-PERFORATED INTERVALS: From <u>60</u> ft. to <u>80</u> ft., From <u>60</u> ft. to <u>80</u> ft., From <u>60</u> ft. to <u>80</u> ft., From <u>60</u> ft. to <u>80</u> ft.		GRAVEL PACK INTERVALS: From <u>58</u> ft. to <u>80</u> ft., From <u>58</u> ft. to <u>80</u> ft., From <u>58</u> ft. to <u>80</u> ft., From <u>58</u> ft. to <u>80</u> ft.			
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 <u>Bentonite</u> 4 Other <u>Concrete</u>			
Grout Intervals: From <u>0</u> ft. to <u>3</u> ft., From <u>3</u> ft. to <u>58</u> ft., From <u>58</u> ft. to <u>80</u> ft.		What is the nearest source of possible contamination:			
1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit		7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 <u>Other (specify below)</u> <u>Brine Ponds</u>			
Direction from well? <u>South</u>		How many feet? <u>300</u>			
FROM TO LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS			
0	4.5	Lt. Brown - Silty Clay			
4.5	15	Lt. Brown - Clayey Silt			
15	45	Lt. Brown - Sandy Silty Clay			
45	58	Gray - Silty Sandy Clay			
58	74	Lt. Brown - Sandy Silt			
74	77	Lt. Brown - Clayey Sand			
77	80	Gray Maroon - Clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>1/18/05</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. <u>676</u> This Water Well Record was completed on (mo/day/yr) <u>2/18/05</u> under the business name of <u>Whitetail Drilling, LLC</u> by (signature) <u>Andy Bant</u>					