

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County <b>Ellsworth</b>	Fraction <b>NE 1/4 SW 1/4 NW 1/4</b>	Section number <b>2</b>	Township number <b>T 17 S R 9 E</b>	Range number <b>9</b>
2. Distance and direction from nearest town or city: <b>2N-1E-.7N-.2E</b>			3. Owner of well: <b>Merle F. Boeken</b>		
Street address of well location if in city: <b>Lorraine</b>			R.R. or street: <b>Box 1</b>		
			City, state, zip code: <b>Lorraine, Kansas 67459</b>		
4. Locate with "X" in section below: N W E S 1 Mile			Sketch map: 		
5. Type and color of material			From	To	
Topsoil			0	2	
Clay-Soft-Brown			2	46	
Clay-Compact- <del>XXXXXX</del> Grey Light			46	81	
Sandrock-fine-White *16gpm			81	90	
Clay-Firm-Grey+White			90	101	
(Use a second sheet if needed)					
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley			Business name <b>B&amp;B W.W.Co.</b> License No. _____ Address <b>Holyrood, Kansas 157</b> Signed _____ Date <b>6/30/81</b> Authorized representative		

6. Bore hole dia. 7 in. Completion date **11/10/75**  
Well depth **101** ft.

7.  Cable tool  Rotary  Driven  Dug  
 Hollow rod  Jetted  Bored  Reverse rotary

8. Use:  Domestic  Public supply  Industry  
 Irrigation  Air conditioning  Stock  
 Lawn  Oil field water  Other

9. Casing: Material **SR** Height: Above or below  
Threaded  Welded **GI** Surface **18** in.  
RMP  PVC  Weight \_\_\_\_\_ lbs./ft.  
Dia. **5 1/2** in. to **101** ft. depth Wall Thickness: inches or  
Dia. \_\_\_\_\_ in. to \_\_\_\_\_ ft. depth gage No. **.250 in.**

10. Screen: Manufacturer's name **B&B**  
Type **sawed SR** Dia. **5 1/2**  
Slot/gauze **.06 (1/16)** Length **20**  
Set between **81** ft. and **101** ft.  
ft. and \_\_\_\_\_ ft.  
Gravel pack? **YES** Size range of material **1/8-3/8**

11. Static water level: \_\_\_\_\_ mo./day/yr.  
**81** ft. below land surface Date **11/10/75**

12. Pumping level below land surfaces:  
\_\_\_\_\_ ft. after \_\_\_\_\_ hrs. pumping \_\_\_\_\_ g.p.m.  
\_\_\_\_\_ ft. after \_\_\_\_\_ hrs. pumping \_\_\_\_\_ g.p.m.  
Estimated maximum yield **16 gpm** g.p.m.

13. Water sample submitted: \_\_\_\_\_ mo./day/yr.  
Yes  No  Date \_\_\_\_\_

14. Well head completion: **did not do**  
 Pitless adapter \_\_\_\_\_ Inches above grade

15. Well grouted? **Yes**  
With:  Neat cement  Bentonite  Concrete  
Depth: From **5** ft. to **10** ft.

16. Nearest source of possible contamination:  
ft. **120** Direction **NW+SW** Type **Stock Pens**  
Well disinfected upon completion?  Yes  No

17. Pump:  Not installed  
Manufacturer's name \_\_\_\_\_  
Model number \_\_\_\_\_ HP \_\_\_\_\_ Volts \_\_\_\_\_  
Length of drop pipe \_\_\_\_\_ ft. capacity \_\_\_\_\_ g.p.m.  
Type:  
 Submersible  Turbine  
 Jet  Reciprocating  
 Centrifugal  Other

17-90-2  
1/4 1/4 1/4  
NE SW NW

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5