

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Barton	Fraction SW 1/4SW 1/4 NW 1/4	Section number 10	Township number T 18 S R 11	Range number EW 11																														
2. Distance and direction from nearest town or city: 1 1/2 miles South of Claflin, KS Street address of well location if in city:			3. Owner of well: Bob Shaw R.R. or street: Box 65 City, state, zip code: Claflin, KS 67525																																
4. Locate with "X" in section below: Sketch map: N W E S 1 Mile 1 Mile			6. Bore hole dia. <u>9</u> in. Completion date <u>9-30-77</u> Well depth <u>104</u> ft.																																
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:80%;">5. Type and color of material</th> <th style="width:10%;">From</th> <th style="width:10%;">To</th> </tr> </thead> <tbody> <tr> <td>Top soil</td> <td>0</td> <td>5</td> </tr> <tr> <td>Clay-soft, sandy, red</td> <td>5</td> <td>32</td> </tr> <tr> <td>Sandy gray clay</td> <td>32</td> <td>58</td> </tr> <tr> <td>Sandy, blue clay with shells</td> <td>58</td> <td>67</td> </tr> <tr> <td>Limestone (shaley)</td> <td>67</td> <td>73</td> </tr> <tr> <td>Clay - Brown, soft</td> <td>73</td> <td>75</td> </tr> <tr> <td>clay - Brown, tight</td> <td>75</td> <td>80</td> </tr> <tr> <td>Sandy brown clay (water clay)</td> <td>80</td> <td>104</td> </tr> <tr> <td colspan="3" style="text-align:center;">(Use a second sheet if needed)</td> </tr> </tbody> </table>			5. Type and color of material	From	To	Top soil	0	5	Clay-soft, sandy, red	5	32	Sandy gray clay	32	58	Sandy, blue clay with shells	58	67	Limestone (shaley)	67	73	Clay - Brown, soft	73	75	clay - Brown, tight	75	80	Sandy brown clay (water clay)	80	104	(Use a second sheet if needed)			7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
			5. Type and color of material	From	To																														
			Top soil	0	5																														
			Clay-soft, sandy, red	5	32																														
			Sandy gray clay	32	58																														
			Sandy, blue clay with shells	58	67																														
			Limestone (shaley)	67	73																														
			Clay - Brown, soft	73	75																														
			clay - Brown, tight	75	80																														
			Sandy brown clay (water clay)	80	104																														
(Use a second sheet if needed)																																			
			8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other																																
			9. Casing: Material <u>styrene</u> Height: <u>Above</u> or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>1.5</u> lbs./ft. Dia. <u>1.5</u> in. to <u>64</u> ft. depth; Wall Thickness: inches or Dia. <u> </u> in. to <u> </u> ft. depth; gage No. <u>200#</u>																																
			10. Screen: Manufacturer's name <u>Jess & Lowell</u> Type <u>Styrene 200</u> Dia. <u>XB 5"</u> Slot/gauze <u>1/8</u> Length <u>40'</u> Set between <u>64</u> ft. and <u>104</u> ft. Gravel pack? <input checked="" type="checkbox"/> <u>yes</u> Size range of material <u>3/8-200</u>																																
			11. Static water level: <u>31</u> ft. below land surface Date <u>9-30-77</u> mo./day/yr.																																
			12. Pumping level below land surfaces: <u>N/C</u> <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u> </u> g.p.m.																																
			13. Water sample submitted: <u> </u> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u> </u>																																
			14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> inches above grade																																
			15. Well grouted? <input checked="" type="checkbox"/> <u>yes</u> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.																																
			16. Nearest source of possible contamination: <u>FIELD</u> ft. <u> </u> Direction <u> </u> Type <u> </u> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																																
			17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <u> </u> Model number <u> </u> HP <u> </u> Volts <u> </u> Length of drop pipe <u> </u> ft. capacity <u> </u> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Clarke Well & Eq., Inc. 185 Business name <u>Great Bend, KS 67530</u> License No. <u> </u> Address <u> </u> Date <u>9-30-77</u> Signed <u> </u> Authorized representative																															

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

18
 17
 10
 Sec
 1/4
 1/4
 1/4
 1/4
 Susan