

1 LOCATION OF WATER WELL	Fraction	Section Number	Township Number	Range Number
County: Barton	SE ¼ XX SW ¼ SE ¼	13	T 18 S	R 11 EW
Distance and direction from nearest town or city? 3 miles South & 2½ miles East of Claflin, KS		Street address of well if located within city?		


2 WATER WELL OWNER: Virgil Zink
 RR#, St. Address, Box #: Route 1
 City, State, ZIP Code: Claflin, KS 67525
 Board of Agriculture, Division of Water Resources
 Application Number: Not Required

3 DEPTH OF COMPLETED WELL: 75 ft. Bore Hole Diameter: 9 in. to 75 ft., and in. to ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well
 Well's static water level: 20 ft. below land surface measured on 9 month 6 day 79 year
 Pump Test Data: Well water was ft. after hours pumping gpm
 Est. Yield Not Checked gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Solvent
 7 Fiberglass Sytrene 200 Threaded
 Blank casing dia: 5 in. to 35 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface: 12 in., weight 1.5 lbs./ft. Wall thickness or gauge No. 200
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) Styrene 200
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia: 5 in. to ft., Dia 75 in. to ft., Dia in. to ft.
 Screen-Perforated Intervals: From 35 ft. to 75 ft., From ft. to ft.
 Gravel Pack Intervals: From 25 ft. to 75 ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 13 Watertight sewer lines
 Direction from well: South How many feet: 100 ? Water Well Disinfected? Yes XX No
 Was a chemical/bacteriological sample submitted to Department? Yes No XX If yes, date sample was submitted month day year: Pump Installed? Yes XX No
 If Yes: Pump Manufacturer's name: Berkeley Pump Co. Model No. 4AM-11 HP 1/2 Volts 230
 Depth of Pump Intake: 63 ft. Pumps Capacity rated at 10 gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 9 month 6 day 1979 year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185
 This Water Well Record was completed on 10 month 8 day 1979 year under the business name of Clarke Well & Equipment, Inc. by (signature) *Edward W. Clarke*

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
	0	2	Top soil			
	2	61	Sandy brown clay w/streaks of cemented sand			
	61	75	Sandy brown yellow clay			1765

ELEVATION: Not Available

Depth(s) Groundwater Encountered 1... 20 ft. 2... ft. 3... ft. 4... ft. (Use a second sheet if needed)
 INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.