WATER	WELL REC	CORD	Form WV	VC-5	Div	vision of Wate	r Resources App. No	o		
E.	TION OF WA	TER WELL:	Fraction			n Number	Township No.	Range Number		
	: Barton		NE 1/4 SW 1/4 NE		ļ	5	T 18 S	R 13 □E ☑ W		
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information: Latitude:38,51281 (in decimal degrees)			
· —					Longitude: 98.77856 (in decimal degrees)					
165 W Broadway Ave. Hoisington, KS 67544					Elevat	Elevation: 1836.45				
2 WATER WELL OWNER: Don Horton					Datum: WGS 84, NAD 83, NAD 27					
Bon Horton					Collection Method:					
RR#, Street Address, Box #: 165 W Broadwav ave City, State, ZIP Code : Hoisington, KS 67544					☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey					
Tioloniquon, No orotta						Est. Accuracy:				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 33										
	ON BOX:	BOX: Depth(s) Groundwater Encountered (1) . ~ 23 . ft. (2) . ft. (3) . ft.								
	N WELL'S STATIC WATER LEVEL22.03ft. below land surface measured on mo/day/yr1/28/14									
	Pump test data: Well water wasft. after hours pumping gpm									
NW -	EST. YIELDgpm. Well water wasft. after hours pumpinggpm									
W	r									
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
SW -	SW - SE -									
	Was a chemical/bacteriological sample submitted to Department? Yes No									
, .	S If yes, mo/day/yr sample was submitted									
Water well disinfected?										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter 2.0 in. to .18 ft., Diameter in. to										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot										
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)										
SCREEN-PERFORATED INTERVALS: From 18 ft. to 33 ft., From ft., From ft.										
From										
GRAVEL PACK INTERVALS: From16										
From. ft. to ft., From ft. to ft. 6 GROUT MATERIAL: □ Neat cement □ Cement grout ✓ Bentonite □ Other										
Grout Intervals: From 1										
What is the nearest source of possible contamination:										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								ner (specify below)		
	lewer lines Vatertight sewer l	Cesspool		☐ Fuel storag ☐ Fertilizer s		Oil well/g		T Site		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ LUS I Site ☐ Direction from well ☐ Distance from well ☐ Distan										
FROM	ТО	LITHOLOC	SIC LOG	FROM	TO	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS		
0 3	33 Clay, s	silty								
	`									
			,							
								× 11 - 11 - 11 - 11 - 11 - 11 - 11 - 11		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) .1.13-14 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 594. This Water Well Record was completed on (moday/year) 2-28-14. under the business name of Coranco Great Plains, Inc. by (signature)										
			eat Plains, Inc. n. <i>PLEASE PRESS FIRML</i>)							
l k	Kansas Department	of Health and Enviror	ment, Bureau of Water, Geo	logy Section, 1	000 SW 3	Jackson St., Suit	te 420, Topeka, Kansa	as 66612-1367.		
Telephone	e 785-296-5524. S	end one copy to WAT	ER WELL OWNER and reta	ain one for your	records.	Include fee of	\$5.00 for each constru-	cted well. Visit us at		
			http://www.kdheks.gov	//waterwell/ind	x html	/				