435 WATE I	12887 R WEI	Domestic L RECORD	Form W	WC-5	Di	vision of Wate	er Resources App. N	No.		
		OF WATER WELL:	Fraction		_	on Number	Township No.	Range Number		
Coun		Barton	1/4 SW 1/4 NE	1/4 NW 1/4	4	5	T 18 S	R 13 □E		
		ddress of Well Location;	f unknown, distance &	direction	Globa	l Positioning	System (GPS) in	formation:		
from nearest town or intersection: If at owner's address, check here						Latitude: 38.518243 (in decimal degrees)				
						itude:	-98.787579	(in decimal deg	grees)	
					Eleva		Unknown	<u></u>		
2 WATER WELL OWNER: Hoisington Recreation Commission					Datur Datur	<u>n:</u> 🔲 WGS 8	4, 🛛 NAD 83, 🛚	NAD 27		
RR#, Street Address, Box #: 1200 Susank Rd.					Colle	ction Method:	ce/Model: WAAS	3	`	
City, State, ZIP Code : Hoisington, KS 67544						Digital Man/Ph	noto Topograph	nic Map, Land Su	rvev	
City,	, State, 2	n code , moisingt	on, 100 07 044		Est. A	ccuracy: -	<3 m, 🛛 3-5 m, 🗌] 5-15 m, ☐ >15 m	ı	
	3 LOCATE WELL									
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) ft. ft. ft.										
Depth(s) Groundwater Encountered (1/ 50										
ļ	WEELS STATIC WATER ELVES II. below faile surface incastice on more agree									
	75									
W										
Demostic Deadlot Oil field water supply Dewatering Other (Specify below)										
SW SE										
Was a chemical/bacteriological sample submitted to Department? Yes No										
S If yes, mo/day/yr sample was submitted										
1 mile Water well disinfected? X Yes No										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded Other (Specify)										
Casing diameter 5 in. to 40 ft., Diameter 5 in. to 74 ft., Diameter in. to ft.										
Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No214										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot										
SCREE	N-PERF	ORATED INTERVALS:		saw cut ft. to	7d—"	ft., From	ft	. to	ft.	
JCKLL	N-I DICI	OKATED INTERVALS.		ft. to		ft., From		. to	ft.	
	GRAV	EL PACK INTERVALS:	0.5	ft. to	75	ft., From		. to	ft.	
	01111			ft. to		ft., From	ft	. to	ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From 5 ft. to 25 ft., From ft. to ft., From ft. to ft.										
What is the nearest source of possible contamination:										
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well										
H	Sewer lin		Sewage lagoon it Feedyard	Fuel stora Fertilizer		Oil well/g		None Known		
Direc	tion from		ii recuyaru	Distance	_		as well			
FROM	ТО	LITHOLOG	IC LOG	FROM	TO		OG (cont.) or PL	UGGING INTERV	JALS	
0	4	Topsoil	200				- 0 (10.11.) <u>01</u> 1 D			
4	30	Clay, tan, soft								
30	40	Clay, gray, soft								
40	45	Clay, gray, sand strea	iks							
45	50	Clay, tan								
50	60	Clay, tan, sand streak	(S							
60	62	Sand, gravel, fine to r								
62	70	Clay, gray, red, sands								
70	75	Clay, gray								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, in reconstructed, or plugged and this record is true to the best of my knowledge and belief.										
of 100144										
		ell Contractor's License N					on (mø/day/yea	r) 05/22/14		
under th	e busine		e Well & Equipment			ignature)	DIM	6 17		
(white bl	.TIONS: U ue. nink) t	se typewriter or ball point pe o Kansas Department of Health	en. <u>PLEASE PRESS FIRML</u> and Environment. Bureau	rand <u>PKINI</u> of Water Ge	ciearly. I plogy Sect	tion, 1000 SW	ks and check the corr lackson St., Suite 420	ect answers. Send thre). Topeka. Kansas 666	e copies 12-1367	
Telephon	ie 785-296	-5522. Send one copy to WAT	ER WELL OWNER and re	tain one for	our reco	rds. Include fe	e of \$5.00 for each	constructed well. Vi	sit us at	
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-	-1212									