

Correction

WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

MW #17

LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
C Intv: <u>D-12</u>	<u>NE 1/4 S 1/4 E 1/4 N 1/4</u>	<u>1</u>	T <u>19</u> S	R <u>15</u> E

Distance and direction from nearest town or city street address of well if located within city?

2111 Jackson Olmitz KS

WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
Rt#, St. Address, Box #	Application Number:
City, State, ZIP Code	

LOCATE WELL'S LOCATION WITH	DEPTH OF COMPLETED WELL	ELEVATION:
-----------------------------	-------------------------	------------

N "X" IN SECTION BOX:	Depth(s) Groundwater Encountered	ft. 2.	ft. 3.
-----------------------	----------------------------------	--------	--------

	WELL'S STATIC WATER LEVEL	ft. below land surface measured on mo/day/yr
	Pump test data: Well water was	ft. after hours pumping gpm
	Est. Yield	gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter	in. to ft., and in. to ft.

WELL WATER TO BE USED AS:	5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	8 Oil field water supply	9 Dewatering
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)	12 Other (Specify below)
			Monitoring well

TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
PVC	4 ABS	7 Fiberglass		Threaded

Blank casing diameter	in. to ft., Dia	in. to ft., Dia	in. to ft., Dia
Casing height above land surface	in., weight	Sched. 40	lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:	10 Asbestos-cement	11 Other (specify)	12 None used (open hole)
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS

SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS:	From	ft. to	ft. to	ft. to
GRAVEL PACK INTERVALS:	From	ft. to	ft. to	ft. to

GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Cut intervals:	From	ft. to	ft. to	ft. to
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
Direction from well?	S. 1/4	How many feet?	5'	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
1	15	Topsoil			
15	17	Br. S. H. clay			
17	32	1.42 Sl. Fr. (hard)			
32		1.42 Sl. Fr. (hard) & Col. (blue)			
		Tan West Q 2.5			

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was	(1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was
completed on (mo/day/year)	10.23.00	and this record is true to the best of my knowledge and belief, Kansas
Water Well Contractor's Licence No.	575	This Water Well Record was completed on (mo/day/yr)
for the business name of	FUNKER BELL SERVICE INC	by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies of Kansas Department of Health and

1 LOCATION OF WATER WELL:		WATER WELL RECORD		FORM WWS-3		RCA 328 1212 12 NO.		Section Number		Township Number		Range Number	
County: Barton		Fraction SE 1/4 NE 1/4 NE 1/4		36		T 18		S		R 15		E 10	
Distance and direction from nearest town or city street address of well if located within city?													
2nd & Jackson Olmitz KS													
2 WATER WELL OWNER: United AG SERVICE INC													
RR#, St. Address, Box # : 2nd & Jackson Olmitz KS 67564													
City, State, ZIP Code : Board of Agriculture, Division of Water Resources													
Application Number:													
3 LOCATE WELL'S LOCATION WITH				4 DEPTH OF COMPLETED WELL									
AN "X" IN SECTION BOX:				ft. ELEVATION:									
				Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.									
				WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr									
				Pump test data: Well water was ft. after hours pumping gpm									
				Est. Yield gpm: Well water was ft. after hours pumping gpm									
				Bore Hole Diameter 5 1/4 in. to ft., and in. to ft.									
				WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
				1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
				2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes. No. ; If yes, mo/day/yr sample was submitted													
Water Well Disinfected? Yes No													
5 TYPE OF BLANK CASING USED:													
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued. Clamped.													
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded													
3 Fiberglass Threaded X													
Blank casing diameter 2 in. to 10 ft., Dia in. to ft., Dia in. to ft.													
Casing height above land surface 0 in., weight Sched 40 lbs./ft. Wall thickness or gauge No.													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement													
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)													
12 None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
1 Continuous slot 2 Mill slot 0.10 5 Gauzed wrapped 8 Saw cut 11 None (open hole)													
2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes													
10 Other (specify) ft.													
SCREEN-PERFORATED INTERVALS: From 30 ft. to 10 ft., From ft. to ft.													
From ft. to ft., From ft. to ft.													
GRAVEL PACK INTERVALS: From 30 ft. to 8 ft., From ft. to ft.													
From ft. to ft., From ft. to ft.													
6 GROUT MATERIAL: 1 Neat cement 62 Cement grout 3 Bentonite 4 Other													
Grout Intervals: From 3 ft. to 3 ft., From 8 ft. to 3 ft., From ft. to ft.													
What is the nearest source of possible contamination:													
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well													
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well													
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)													
13 Insecticide storage													
Direction from well? South How many feet? 5'													
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS			
0		1		Topsoil									
1		15		Brown silty clay									
15		17		lime stone fractured									
17		30		lime stone w/ clay / Coliche									
				Tan w/ 16 25									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-23-00 and this record is true to the best of my knowledge and belief. Kansas													
Water Well Contractor's Licence No. 575 This Water Well Record was completed on (mo/day/yr) 12-6-00													
under the business name of FUNKER DRILLING SERVICE INC by (signature) M. L. K...													

Barton County

