		WATI	R WELL RECORD	Form WW(	C-5 KSA 82	2a-1212		
1 LOCATION OF	WATER WELL:	Fraction			Section Number	er Townshi	p Number	Range Number
County:	Rush	NW V		NW1/4	6	T	18 S	R 16 E(1)
Distance and direct	tion from nearest tow	vn or city street a	address of well if located	d within city	/?			~
101 Nort	h Main, Biso	n, Kansas	MW#11					
2 WATER WELL		id-State C						
RR#, St. Address,		01 North M	-			Board	of Agriculture,	Division of Water Resources
City, State, ZIP Co		ison, Kans			Application Number:			
I LOCATE WELL	S LOCATION WITH							
AN "X" IN SEC	TION BOX:	Depth(s) Ground	dwater Encountered 1	47	ft	2	ft. :	3
- X ·		WELL'S STATIC	WATER LEVEL	42 "	helow land s	urface measure	on mo/day/yr	12–11–92
								umping gpm
NW -	NE							umping gpm
1   1							•	
* w	<b>───</b> ───		•					n. to
<u>₹</u>						8 Air conditio		
Ī L sw.		1 Domestic						Other (Specify below)
		2 Irrigation				-		
l Li		Was a chemical	bacteriological sample s	ubmitted to	Department?	YesNo.	.V; If yes	s, mo/day/yr sample was sub-
L —	S	mitted			W	ater Well Disinf	ected? Yes	No V
5 TYPE OF BLAN	NK CASING USED:		5 Wrought iron	8 Cor	crete tile	CASING	JOINTS: Glue	d Clamped
1 Steel	3 RMP (SI	R)	6 Asbestos-Cement	9 Oth	er (specify bel	ow)	Weld	
<b>⊘</b> PVC	4 ABS	,	7 Fiberglass			<i></i>	Thre	aded1
Blank casing diam	eter 2	.in. to 35	ft Dia	in.	to	ft Dia		in. to ft.
Casing height above	ve land surface	0	.in., weight		lhe	s./ft. Wall thickne	ess or dauge N	lo. Sch. 40
	N OR PERFORATION		Time, Worger		PVC		Asbestos-cem	1
1 Steel	3 Stainless	-	5 Fiberglass		RMP (SR)			)
			-					
	2 Brass 4 Galvanized steel						None used (or	' ' I
SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot			5 Gauzed wrapped			8 Saw cut		11 None (open hole)
1 Continuous				vrapped		9 Drilled ho		
2 Louvered s		ey punched	7 Torch		E			, , . , . , .
SCREEN-PERFOR	RATED INTERVALS:							toft.
								to.,.,,,,,,,,,,,,,,,,,,,,,,ft.
GRAVEL	PACK INTERVALS:	From	33 ft. to		ft., Fr	om	ft.	toft.
	<u>.</u>	From	ft. to		ft., Fr	om	ft.	to ft.
6 GROUT MATER	RIAL: 19Neat o	cement	2 Cement grout	(3 <b>,3</b> e)	ntonite	4 Other		
Grout Intervals:	From0	.ft. to 3.1.	ft., From	31 T ft	to 33	ft., Fron	n	ft. toft.
	st source of possible					estock pens		Abandoned water well
1 Septic tank	4 Later	al lines	7 Pit privy		11 Fue	storage	15 (	Oil well/Gas well
2 Sewer lines 5 Cess						l storage 15 Oil well/Gas ilizer storage 16 Other (spec		Other (specify below)
	sewer lines 6 Seep	-	9 Feedyard			ecticide storage	10 (	Strict (Speeny Below)
		•	rthwest			•	575	
Direction from well FROM TO	17	LITHOLOGIC		FROM		any feet?	PLUGGING	INTERVALS
0 5	dark h	rown clay		TION	<del>  '</del>		5661166	
5 10						£3		
10 17		brown cla	₹'		-+	Ilus	h mount c	over
	red_br	own clay,	silty rown clay, very	, gi]tv		KOHR TO	# 00092634	
	mealum	- TIGHT D	rown cray, very	5120)		NAME AND	# 0003200±	
• -	red br	own clay,	very silty					
40 50	medium	brown cla	y, very silty					
50 55	clay w	ith sand s	tringers, fine					
	1 -	medium gra	•					
<del></del>					- +	t		
				-		<del>                                     </del>		
					i			
7 CONTRACTOR	R'S OR LANDOWNER	R'S CERTIFICAT	ION: This water well wa	s (1) cons	tructed, (2) red	constructed, or (	3) plugged un	der my jurisdiction and was
completed on (mo/	41 1	9-92		. <b></b>			-	nowledge and belief. Kansas
•	ctor's License No.	527	IIIIS YVAIGI YY		was completed	on (mo/dev/yr)		8-92
under the business		GeoCore	Services, Inc		by (sign	1 /	. ۱۸۷ جس	,
		Den PLEASE PRESS	FIRMLY and PRINT clearly Pie	ase fill in hien		AA	ers. Send top three	opies to Kansas Department
of Health and En	rironment. Bureau of Water.	Topeka, Kansas 666	20-0001. Telephone: 913-296-5	545. Send one	to WATER WELL	OWNER and retain	one for your record	is.