			WATE	R WELL RECORD	Form WWC-	5 KSA 82a	-1212	PLUC	ING REPORT
1 LOCATION	ON OF WAT	ER WELL:	Fraction		Se	ction Number		Number	Range Number
County:	Rush		NW 1/4		NE 1/4	29	<u> T 18</u>	S	R 17 x /W
				ddress of well if loca	ated within city?				
	est, 2 s	outh of Tim	Kell, NS.						
	R WELL OW			Craig Jecha					
RR#, St. /	Address, Box	(#:		Rt. 2-Box 78			Board of	of Agriculture,	Division of Water Resources
	, ZIP Code			Timken, Ks.				tion Number:	
3 LOCATE	E WELL'S LO IN SECTION	CATION WITH	DEPTH OF C	OMPLETED WELL.	٥	ft. ELEVA	TION:		
AN A	IN SECTION	D D	epth(s) Ground	water Encountered	1	ft. 2	2	ft. 3	3
Ŧ	!	'X \ \	VELL'S STATIC	WATER LEVEL	23 ft. t	pelow land sur	face measured	l on mo/day/yr	9 - 15-94
	NW	NE	Pumj	p test data: Well w	ater was	ft. a	fter	hours pu	ımping gpm
		, E							mping gpm
≝ w L	i	, B	lore Hole Diame	eter. tələin.	to	ft., :	and	in	. to
* w	!	, , , , , , , , , , , , , , , , , , ,	VELL WATER 1	røx∰e ÜSED AS:	5 Public water	er supply	8 Air condition	ning 11	Injection well
7 L	- SW	(F	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Specify below)
	- 3 4 4	3	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring	well,	
	i	ı] v	Vas a chemical/l	bacteriological sampl	e submitted to D	epartment? Yo	esNo.	If yes	, mo/day/yr sample was sub-
	Ş	m	nitted			Wa	ter Well Disinfe	ected? Yes	hth No
5 TYPE C	OF BLANK C	ASING USED:		5 Wrought iron	8 Concr	ete tile	CASING	JOINTS: Glue	d Clamped
1 Ste	el	3 RMP (SR)		6 Asbestos-Cemer	nt 9 Other	(specify below	w)	Weld	ed
2 PV		4 ABS		7 Fiberglass				Threa	aded
Blank casi	ng diameter	16 in	i_to	ft., Dia	in. to		ft., Dia		in. to ft.
Casing hei	ight above la	ind surface	Ø	.in., weight		Ibs./	ft. Wall thickne	ss or gauge N	lo
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:		7 PV	/C	10	Asbestos-ceme	ent ", A
1 Ste	eel	3 Stainless s	steel	5 Fiberglass	8 RM	/IP (SR)	11	Other (specify)	<i>NH</i>
2 Bra	ass	4 Galvanized	d steel	6 Concrete tile	9 AE	s	12	None used (or	pen hole)
SCREEN (OR PERFOR	RATION OPENINGS	S ARE:	5 Ga	5 Gauzed wrapped		8 Saw cut		11 None (open hole)
1 Co	ntinuous slo	t 3 Mill	slot	6 Wi	re wrapped		9 Drilled hol	es ,	h_
2 Lo	uvered shutt	er 4 Key	punched		rch cut		10 Other (spe	es ecify)	•
SCREEN-	PERFORATE	ED INTERVALS:	From	NA ft. to) A- # Ero	m	ft f	toft.
									oft.
C	GRAVEL PA	CK INTERVALS:	From	ft. to		ft., Fro	m	ft. 1	
(GRAVEL PA	CK INTERVALS:	From	ft. to		ft., From	m	ft. 1	oft. :
	GRAVEL PA		From From From	ft. to		ft., Froi	m	ft. 1 ft. 1 ft. 1	oft. :
6 GROUT	MATERIAL	: 1 Neat cer	From From From	ft. to ft. to ft. to ft. to	3 Bento	ft., From	m	ft. 1	to
6 GROUT	MATERIAL	: 1 Neat cer	From From ment to	ft. to ft. to ft. to ft. to	3 Bento	ft., Froi ft., Froi onite 4 to	m	ft. 1	.co
6 GROUT Grout Intel What is th	MATERIAL rvals: Fror e nearest so	: 3 Neat ce n3 ft	From From ment to		3 Bento	to	m	ft. 1 ft. 1 ft. 1	ft. to
6 GROUT Grout Inter What is the	MATERIAL rvals: Fror e nearest so	Neat cern 3ft	From From From ment to ontamination:	ft. to ft. to ft. to ft. to	3 Bento	ft., Froi ft., Froi onite 4 to	m	ft. 1 ft. 1 ft. 1 	ft. to
6 GROUT Grout Intel What is th 1 Se 2 Se	MATERIAL rvals: Fror e nearest so eptic tank ewer lines	Neat cern 3	From From From ment to contamination: lines	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy	3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. 1 ft. 1 ft. 1 	.to
6 GROUT Grout Intel What is th 1 Se 2 Se	MATERIAL rvals: Fror e nearest so eptic tank ewer lines atertight sew	1 Neat cern	From From From ment to contamination: lines	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I	3 Bento ft.	ft., Froi ft., Froi nite 4 to	m	ft. 1 ft. 1 ft. 1 	to
GROUT Grout Intel What is th 1 Se 2 Se 3 Wa	MATERIAL rvals: Fror e nearest so eptic tank ewer lines atertight sew	1 Neat cern	From From From ment to contamination: lines	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	3 Bento ft.	ft., Froi ft., Froi onite 4 to	m	ft. 1 ft. 1 ft. 1 	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Intel What is th 1 Se 2 Se 3 Wa Direction f	MATERIAL rvals: Fror e nearest so eptic tank ewer lines atertight sew rom well?	Neat cer 1 Neat cer 2 1 Neat cer 2 1 Neat cer 4 Lateral 5 Cess per lines 6 Seepage	From From ment to contamination: lines ool ge pit LITHOLOGIC	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	3 Bento	ft., Froi ft., Froi onite 4 to	m	ft. 1 ft. 1 ft. 1 14 A 15 C 16 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	1 Neat cern	From From ment to contamination: lines ool ge pit LITHOLOGIC	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	3 Bento	ft., Froi ft., Froi onite 4 to	m	ft. 1 ft. 1 ft. 1 14 A 15 C 16 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines cool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines cool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines cool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines ool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines ool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines ool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines ool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines ool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines ool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines ool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM	r MATERIAL rvals: From e nearest so eptic tank ewer lines atertight sew from well?	Neat cern. 23ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepag	From From From ment to ontamination: lines ool ge pit LITHOLOGIC gravel old we	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG	3 Bento ft.	onite 4 to	m	14 A 15 C 16 C 10 C	ft. to ft. to ft. the ft. the ft. to ft. the ft. t
6 GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM 50 23	rvals: From e nearest so optic tank ewer lines atertight sew rom well? TO 23 0	Neat cern. 3	From From ment to contamination: lines cool ge pit LITHOLOGIC grave1 old we to 50	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG 2 LOG 1 had caved	3 Bento ft. agoon FROM	ft., Frointe, Frointe	m	14 A 15 C 16 C 10 D	to ft. to ft.
6 GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM 50 23	rvals: From e nearest so optic tank ewer lines atertight sew rom well? TO 23 0	I Neat cer In	From F	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG 1 had caved ft. ION: This water well	3 Bento ft. agoon FROM I in and f:	illed up	m	ft. 1	der my jurisdiction and was
6 GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM 50 23	rvals: From e nearest so optic tank ewer lines atertight sew rom well? TO 23 0 RACTOR'S Con (mo/day/	Neat central description of the contral descript	From	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage I 9 Feedyard LOG 2 LOG 1 Pit had caved ft. 1 In the caved 1 In the	3 Bento ft. agoon FROM I in and f:	illed up	onstructed, or (ord is true to the	ft. 1	der my jurisdiction and was owledge and belief. Kansas
6 GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM 50 23	rvals: From e nearest so optic tank ewer lines atertight sew from well? TO 23 0 RACTOR'S Con (mo/day/ell Contractor)	Neat cern. 23ft urce of possible co. 4 Lateral 5 Cess per lines 6 Seepage Sand and co. Cement DR LANDOWNER'S year)	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG 10N: This water well This Water	3 Bento ft. agoon FROM I in and f:	illed up acted, (2) reco	onstructed, or (ord is true to the on (mo/day/yr)	ft.	der my jurisdiction and was owledge and belief. Kansas 8 -94.
6 GROUT Grout Inter What is th 1 Se 2 Se 3 Wa Direction f FROM 50 23 . 7 CONTF completed Water Wel under the	rvals: From e nearest so optic tank ewer lines atertight sew from well? TO 23 0 RACTOR'S Con (mo/day/business na	Neat cer I Neat cer I Lateral I Cess per lines 6 Seepage Sand and Cement OR LANDOWNER'S year) S License No The of Rose	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG Color of the color of t	3 Bento ft. agoon FROM I in and f: was (1) construction.	illed up acted, (2) reco	onstructed, or (ord is true to the on (mo/day/yr) ture)	ft.	der my jurisdiction and was owledge and belief. Kansas